INDEX TO VOLUME 8

The star (*) preceding the page number indicates an original article in THE ARCHIVES. Book Reviews, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

PAGE

Abramowitz: Acrodermatitis pustulosa hiemalis, Crocker 105
Dermatitis ab igne 102
Dermatitis lichenoides chronica atrophicans 562
Herpes simplex 298
Lupus erythematosus or nodular syphiloderm and epithelioma of face 571
Lupus vulgaris 102
Nodular crustaceous syphiloderm 564
Nodular syphilid or lupus vulgaris 565
Pityriasis rubra pilaris 101
Abscess, axillary, pathogenesis of; Gans 722
psoas; Stevens 132
Acanthosis nigricans; Stevens 132, 864
Acladium Castellani (Pinoy); Craik 860
Acne, colloid, a form of colloid milium? S. S. Greenbaum *416
relation of acne to vitamin starvation; Meska 92
rosacea syphilitica; Janovsky 728
telangiectodes (Kaposi); Kumer 317
varioliformis; Phillips 573
varioliformis and neurotic excoriations; Levin 299
varioliformis, necrotic granuloma; improvement under injections of tuberculin emulsion; Levin 298
vulgaris, roentgen-ray treatment of; Jacoby 537
Acriflavin, intravenous injections of acriflavin in chronic urticaria; Strassen 242
Acrocyanosis with erythema induratum; Greenbaum 303
Acrodermatitis chronica atrophicans: See Atrophy, diffuse idiopathic pustulosa hiemalis, Crocker; Abramowitz 105
Actinomycosis, distribution of, in United States; Sanford 712
of abdominal wall; Albert, Hardy and Harrison 712
or malignancy (?); Oliver 556
Adenitis, tuberculous, resembling malignant tumor; Guy and Jacob 306
Adenoma sebaceum; Guy and Jacob, 578; Van Rhee 124, 878
sebaceum: result of treatment with actinotherapy; Bechet 561
Ahlswede, E.: Nonspecific therapy in syphilis *856
Red light treatment *527
—and Schumacher, J.: Specific spirillicide effect of arsphenamin *854
Alastrim, blood studies in smallpox, with special reference to; Hoffman 861
discourse on outbreak of alastrim in Antigua; Branch and McDonald 861
Albert, H.: Actinomycosis of abdominal wall 712
Albinismus, leukoderma and Alpine sun lamp; Wertheim 587
Albrecht, P. G., and Beeson, B. B.: Xanthoma tuberosum *695
Alcohol and venereal diseases; von Notthafft 727
Alderson, H. E.: Carbon tetrachlorid in dermatology *411
Heliotherapy in psoriasis *79
Alopecia areata; Sweitzer 259
areata and vitiligo associated with severe hyperthyroidism, report of case; S. Ayres, Jr. *502
areata, leukoderma and nevi; Rabut 86
areata, pseudopelade; Ormsby and Mitchell 273
areata with sympathetic nervous derangements in patient wounded during war; endocrine-sympathetic origin of alopecia areata; Levy-Franckel and Juster 426

Alopecia—Continued PAGE
cicatrisata; Wise 157
congenital; Ludy, 446; Wise 439
epidemic, in small areas; H. C. Semon *785
post-erysipelas simulating syphilitic alopecia; Parounagian 103
syphilitica; Fox 154
thallium, experiments on; Spitzer 239
universalis; Guy and Jacob, 116; Miller 115
Alurralde, M.: Treatment of neurosyphilis 721
Ambrosius: Microcapillary observations on effect of some vessel agents .. 242
Ambrossoli, G.: Cutaneous reaction in favus 549
Anderton, W. P.: Central vascular syphilis 537
Angiokeratoma (Mibelli); Wertheimer 308
Angioma, acquired lymphangioma of vulva secondary to tuberculous obliteration of inguinal glands; J. H. Stokes *498
alopecia areata, leukoderma and nevi; Rabut 86
case of epithelioma adenoides cysticum combined with hemangiomatous formations; Bacher 552
concerning origin of birthmarks; Leven 727
congenital lymphangioma; angioma planum; keratotic nevus; Louste and Dauptain 428
disseminated telangiectasis with lupus erythematosus acutus disseminatus; W. E. Robertson and J. V. Klauder *487
essential acquired telangiectasis; Chargin 94
generalized telangiectasia; Ormsby and Mitchell 270
hemangioma; Jamieson 879
hemangioma of tongue; Tobias 245
lymphangiectases arising on a surgical cicatrix; Spillmann and Watrin .. 431
lymphangiectatic hypertrophy of vulva occurring in a nevus unius lateris; N. Tobias *647
lymphangioma; Ormsby, 271; Boardman 556
lymphangioma circumscriptum; Clark 572
lymphangioma-endothelioma; Jamieson 877
lymphangiomatous and hemangiomatous nevus associated with enormous hypertrophy of sweat glands and localized hyperhidrosis on excitement; J. H. Stokes *186
nevus; Trimble 277
nevus angiectosus et anemicus systematicus bilateralis; Schoenhof 316
nevus linearis; Olson, 260; Mackey 581
of tongue treated with radium; Wise 156
series of angiomas in babies; G. D. Culver *769
serpiginosum; Wertheimer 311
systematized sebaceous gland nevus; Mayr 553
telangiectases; Hart-Drant 447
telangiectasis associated with syphilis; Chargin 94
vascular nevus; Michelson 441
verrucous nevi and multiple nerve lesions; incomplete von Recklinghausen's disease; hemiatrophy; hemihypotonia; hemisudation; unilateral oculo-sympathetic syndrome; Leri and Tzanck 547
verrucous, of entire right leg; Pautrier 719
with lichen planus of mouth and penis; Wertheimer 117
Anthrax, intra-uterine transmission of anthrax; report of case; Regan, Litvak and Regan 541
Apparatus for intravenous injections; Thim 727
Arasa, G.: Sicard's method in tabes 89
Archibald, R. G.: Erythroderma congenitale ichthyosiforme in Arab child ... 859
Lichen planus hypertrophicus in Sudan 859
Unusual type of nodular leprosy in the Sudan 421
Argyria; Davis, 243; Randak 315
Armstrong: Dermatitis herpetiformis 258
Syphilis resembling dermatitis herpetiformis 442

PAGE

Arndt: Erythema induratum with concomitant tuberculids on mucosa..... 739
Exfoliatio areata linguae et mucosae oris..... 739
Arnett, J. H.: Purpuric eruption without blood changes..... 424
Aronson, J. D.: Complement fixation reaction in leprosy..... 862
Arsalyt, use of, in syphilis; Popowa..... 728
Arsenic, arsenical keratosis (?); Oliver..... 267
erythema multiforme bullosum caused by, report of case; MacDonald... 537
keratosis, circumscribed; Fuchs..... 740
Arsphenamin: See also Neo-arsphenamin; Silver arsphenamin and under Syphilis
acute anaphylactic reaction following the intravenous injection of arsphenamin; Thom 425
arsenical stomatitis; Clement-Simon..... 87
biologic reactions; reduction of its toxicity by combination with hydrophil colloids; J. Oliver, S. S. Yamada and F. Kolos..... *1
biologic reactions; relative therapeutic efficiency of gelatin arsphenamin and disodium arsphenamin; J. Oliver, E. Douglas and F. Kolos.....*359
dermatitis; Krott 551
dermatitis exfoliativa following injections of; Scheer..... 113
eruption especially localized on site of a previous erythema solare; Schneemann 740
eruptions resembling lichen planus; Frei and Tachau, 241; Jadassohn, 241; Buschke and Sklarz..... 725
fixed eruption with pigmentation from; Levin..... 109
icterus following; Wosegien..... 552
lichen ruber-like arsphenamin eruptions; Frei and Tachau..... 553
localized eruptions following injections of; Lacapere and Lepinay..... 428
palmar eruption of erythema multiforme type following; Fox..... 439
purpura from; with fatal oral hemorrhage; Chatellier..... 87
reactions of intolerance to; Gonin..... 543
specific spirillicide effect of; J. Schumacher and E. Ahlswede.....*854
Artom, M.: Vitiligo and ovarian extract..... 720
Arzt, L.: Fungus affections from trichophyton violaceum..... 723
Asnis, E., and Strickler, A.: Blood studies in psoriasis.....*523
Atrophy associated with hereditary pigmentation of leg; M. F. Engman...*483
atrophoderma idiopatica progresiva; Pasini..... 550
diffuse idiopathic; Wise, 148; Bechet..... 586
diffuse idiopathic, scleroderma presenting some signs of acrodermatitis chronica atrophicans; Williams..... 583
idiopathic linear atrophy; Jamieson..... 125
macular; Traub, 104; Burke..... 306
syphilitic macular atrophy; Sidlick and Strauss, 448; Wile..... 873
vermiculate atrophoderma of chin without follicular keratoses; Spillmann 431
Audry, C.: Lichen planus..... 87
Ayres, S., Jr.: Vitiligo and alopecia areata with hyperthyroidism.....*502

Bacher: Epithelioma adenoides cysticum with hemangiomatous formations 552
Bagnoli, N.: Thrombopenia of purpura..... 550
Bahrawy, E.: Mongolian spots in Europeans..... 553
Baldness: See Alopecia
Baldwin, W. M.: Increased absorption of X-rays by vitally stained white rats..... 424
Ballet, B.: Generalized leukonychia..... 236
Generalized dermatitis after moist applications of picric acid..... 86
Polyneuritis coinciding with erythematosquamous dermatitis..... 237
Serologic diagnosis of syphilis..... 716
Barbier, G.: Papulonecrotic and nodular tuberculids of face..... 426
Porokeratosis of Mibelli..... 716
Barthélemy, R.: Pregnancy in syphilitic..... 427
Psoriasis 716
Tabetic osteo-arthropathies of hips..... 427

PAGE

Bayne-Jones, S.: Bactericidal action of ultra-violet light..... 234
—and Pels, I. R.: Elastic tissue simulating mycelial filaments in skin scrapings *37
Bean, H. C.: Thromboangiitis obliterans..... 538
Bechet: Acrodermatitis chronica atrophicans..... 586
Adenoma sebaceum 561
Case for diagnosis: monilethrix?..... 561
Erythema multiforme bullosum or pemphigus?..... 567
Lingua geographica 570
Onychogryphosis 279
Pityriasis rosea with lesions on face resembling seborrheic dermatitis..... 585
Sarcoid of Boeck..... 106
Ulceration of chin resembling epithelioma or syphilis..... 586
Beeson, B. B., and Albrecht, P. G.: Xanthoma tuberosum.....*695
Behdjet, H.: Diathermy in oriental sores..... 724
Pruritic erythematovesicular eruption from barley pollen..... 90
Beinhauer, L. G.: Case for diagnosis..... 575
Dermatitis calorica (?)..... 307
Melanocarcinoma 121
Resin dermatitis 542
Bejarano, J.: Syphilis of lymphatic glands..... 89
Belot, J.: Epithelioma developing on a keloid..... 235
Sterility and roentgen rays..... 720
Beriberi, case of combined pellagra and beriberi; Mendelson..... 859
Bernhart, R.: Bullous impetigo vulgaris..... 544
Bernton, H. S.: Sensitization to castor bean..... 421
Beutl, P.: Plaut-Vincent flora in an interdigital condylomatosis..... 721
Bismuth, elimination of; Strauss..... 723
in leprosy; Matta..... 720
in syphilis: See under Syphilis
lichenoid eruption due to bismuth in a patient who had formerly presented a scarlatiniform erythema following administration of arsphenamin; Nicolas, Gaté and Lebeuf..... 716
mercury and bismuth; experimental study of their spirillicidal activity and comparative toxicity; Pomaret and Didry..... 546
overdosing with Bismogenol; Prater..... 721
stomatitis with erythroderma; Hudelo, Simon and Richon..... 236
three cases of erythema from bismuth; Galliot..... 547
urticaria due to bismuth injections; Lepinay..... 428
Blastomycosis cutis; Buerkmann, 314; Herxheimer and Buerkmann..... 555
cutis, epithelioma resembling; Stillians..... 264
cutis, tuberculosis verrucosa cutis resembling; VanRhee..... 872
Bleckwenn, W. J.: Tryparsamid in neurosyphilis..... 540
Bloch, M.: Disseminated dermatophytosis..... 236
Favus of glabrous skin without cups..... 236
Idiopathic trichoclasia..... 236
Blood chemistry, importance of blood chemistry in dermatology; E. Pulay *175, 317
chemistry, water content and its significance in pathologic conditions of skin; water content of erythrocytes, cholesterin; Pulay..... 722
hyperglycemia as an etiologic factor in certain dermatoses; I. L. McGlasson *665
Nourney's venous blood injections in dermatologic conditions; Leven.... 240
specimens, conservation of, for the Wassermann test; Reichert..... 555
uric acid, study of, in diseases of skin, with particular reference to eczema and pruritus, based on an analysis of blood of 280 patients; J. F. Schamberg and H. Brown.....*801
Boardman: Congenital syphilis; necrosis of nasal bone..... 559
Granuloma fungoides 560
Lymphangioma 556
Morphoea guttata 560

Boardman—Continued PAGE
Tinea capitis 560
Bockholt: Pemphigus foliaceus and trauma 554
Spontaneous or tumor keloids 240
Bodin, E.: Arsphenamin in syphilis during pregnancy 429
Boez: Probable tuberculoid lepra 548, 718
Bone, trophic changes, case for diagnosis; lepra? (trophic bone changes); Irvine and Turnacliff 262
Bonhoure: Wassermann and colloidal benzoin reactions provoked in spinal fluid 543
Book Reviews:
Die Lumbalpunktion (Lumbar Puncture); M. Pappenheim 881
Diseases of Skin; R. L. Sutton 881
Etiology and Pathogenic Relation Between Certain Dermatoses and Leukemia; A. Porta 319
Framboesia Tropica (Parangi of Ceylon); R. L. Spittel 319
Frühdiagnose und Frühtherapie der Syphilis (Early Diagnosis and Early Treatment of Syphilis); L. Arzt 318
Lectures on Diseases of Skin; W. Beatty 450
Old Recollections of an Old Boy; S. Sherwell 450
Practical Medicine Series. Vol. VII. Dermatology and Syphilis; W. A. Pusey and F. E. Senear 451
Rhus Dermatitis: Its Pathology and Chemotherapy; J. B. McNair 589
Bory, L.: Zoniform lichen planus from mosquito bite 717
Bothe: Granuloma annulare 740
Boucher, H.: Mycoses in Madagascar 712
Boutin: Curative fibrosis of varicose veins 87
Brahmachari, U. N.: Dermal leishmanoid 860
Bralez, J.: Urticaria pigmentosa 236
Branch, E. W. R.: Discourse on outbreak of alastrim in Antigua 861
Brann: Sarcoma idiopathicum multiplex hemorrhagicum (Kaposi) 552
Bransfield, J. W.: Disfiguring scars 421
Bravo, J., and Sainz, E. A.: Unna-Jadassohn's cutis verticis gyrata compared with Alibert's dermatolysis *797
Brizard: Psoriasis 716
Brock: Dermatoses and endocrines 238
Brocq, L.: Objections to conception of lichenifications 712
Bromoderma; Tobias, 253; Wise 299
further contributions to experimental aspects of iodid and bromid exanthems; U. J. Wile *407
tuberosum; Strassberg 588
Brown, H., and Schamberg, J. F.: Study of blood uric acid in diseases of skin, with particular reference to eczema and pruritis *801
Bruhns: Arsphenamin in bilateral mal perforans 739
Bryant, F.: Radium in skin affections 538
Buerkmann: Blastomycosis cutis 314, 555
Buffington, E., Warthin, A. S., and Wanstrom, R. C.: Application of Warthin-Starry silver-agar method to demonstration of spirochaeta pallida in spinal fluid by means of coagula obtained by the Alzheimer method *461
Bulliard, H.: Influence of cutting and shaving on growth of hair 713
Burke: Macular atrophy 306
Burn, third-degree burn in patient with early tabes ("preataxic"); Wollenberg 131
Burnier: Darier's disease 237
Lichen obtusus corneus or circumscribed chronic nodular lichenification 546
Multiple tumors of scalp 237
Scleroderma in plaques 237
Busacca: Rôle of so-called basal membrane as a link between epidermis and cutis 552
Buschke, A.: Arsphenamin eruptions resembling lichen planus 725

Buschke, A.—Continued PAGE
Effect of thallium 241
Spore-forming ability of parasitic and pathogenic yeasts 722
Busman: Erythema multiforme 119
Lupus erythematosus 115, 576
Nodular tuberculosis of hypoderm 304
Pityriasis rubra pilaris 119
Butler: Case for diagnosis 442
Urticaria pigmentosa 260

Cailliau: Lividity of extremities with tendency to atrophy 714
Lymphoderma with angioplastic formations 86
Multiple tuberculous lesions 716
Cajal, M.: Bismuth in hereditary syphilis 719
Cancer, carcinoma of face; Parounagian 564
carcinoma on lupus erythematosus; Strassberg 588
carcinoma, with special reference to immunity; Caspari 432
development of carcinoma in dermoid of skin; Schoenhof 239
grafts, histological study of fate of cancer grafts inoculated into an X-rayed area; Nakahara 862
leukoplakia and squamous cell carcinoma; Levin 114
melanocarcinoma: See Melanocarcinoma
nevocarcinoma of lower eyelid cured by two electrolytic treatments; Watrin 431
squamous cell carcinoma showing result of treatment with endothermy; Levin 294
Cannon, A. B., and Fordyce, J. A.: A hitherto undescribed condition of the tongue *749
Canuyt: Ulcerating tuberculous lesions of face and upper air passages 719
Capillaries, concerning effect of oxygen on skin capillaries; Haggqvist 729
dermatoscopy of normal skin, efflorescences of some skin diseases and changes following ultra and roentgen rays; Novak 730
dermatoscopy, study of blood vessel form and arrangement in various dermatoses; J. C. Michael *603
microcapillary observations on effect of some vessel agents; Moog and Ambrosius 242
Carbon tetrachlorid in dermatology; H. E. Alderson *411
Carcinoma: See Cancer
Casilli, A. R.: New technic for flocculation test of syphilis 423
Caspari: Carcinoma and immunity 432
Castellani, A.: Note on etiology of "cute" 860
Phosphorus in dermal leishmaniosis 861
Trichomycosis axillaris flava, rubra and nigra 860
Castor bean, occupational sensitization to; Bernton 421
Causalgia, lesion of brachial plexus due to shoulder dislocation; cubital and median causalgia; palmar keratoderma; Levy-Franckel, Juster and Rimet 426
Cawston, F. G.: Antimony and sulphur in leprosy 425
Cells, origin of lipoid cell granules; Kreibich 239
Cerebrospinal fluid, application of Warthin-Starry silver-agar method to demonstration of spirochaeta pallida in spinal fluid by means of coagula obtained by Alzheimer method; A. S. Warthin, R. C. Wanstrom and E. Buffington *461
counting cell elements in; Jacobsthal 241
diffusion of uranin into, of syphilitic patients; Jersild 712
new method for demonstration of spirochaeta pallida in spinal fluid; U. J. Wile and A. Kirchner *831
precipitation test for syphilis of concentrated arachnoid fluid and serum; Herrold 542
Wassermann and colloidal benzoin reactions provoked in cerebrospinal fluid; Cestan, Riser and Bonhoure 543
Cestan: Wassermann and colloidal benzoin reactions provoked in spinal fluid 543
Chancre, extragenital; Finnerud, 268; Stillians 274
of lip; Maloney 114

PAGE

Chancre—Continued
primary syphilis (rosette type of chancre); Parounagian..... 103
Chancroid of penis and finger; Parounagian.....295, 572
Charcot joints? Doty..... 124
Chargin: Case for diagnosis..... 295
Essential acquired telangiectasis..... 94
Idiopathic multiple hemorrhagic sarcoma of Kaposi..... 97
Telangiectasis with syphilis..... 94
Chatellier, L.: Purpura from arsphenamin..... 87
Cheever, A. W.: Progress in syphilis, 1922..... 538
Cholesterin, relationship between serum cholesterin and Wassermann reaction; R. S. Weiss and A. L. Essermann.....*639
Christensen, G. E.: Wassermann in scarlet fever..... 423
Christopherson, J. B.: Lupus leishmaniasis..... 539
Cicatrices, disfiguring scars—prevention and treatment; Bransfield..... 421
germ-free colloidal pepsin solution for softening; Payr..... 91
Cimbal, W.: Head's zones of irritation..... 727
Clark, A. S.: Case for diagnosis..... 572
Case for diagnosis; granuloma?..... 282
Case for diagnosis; leukemia?..... 281
Case for diagnosis: parapsoriasis?..... 584
Case for diagnosis; scleroderma?..... 286
Fox-Fordyce disease..... 573
Lymphangioma circumscriptum..... 572
Schamberg's disease..... 286
Tuberculous ulceration of tongue and cheek..... 573
Coleman, W. G.: Case for diagnosis..... 249
Colloid degeneration of skin, case of perifollicular pseudocolloid nevus; Montpellier and Lacroix..... 713
is colloid acne a form of colloid milium? S. S. Greenbaum.....*416
Condyloma acuminatum, spirochetes in condyloma acuminatum; Lombardo. 720
significance of Plaut-Vincent flora in an ulcerative interdigital condylomatosis; Beutl..... 721
Conrad, A. H.: Case for diagnosis..... 244
Corson, E. F.: Benign cystic epithelioma..... 449
Case for diagnosis..... 301
Corson, J. F.: New species of filarial larva..... 422
Larvae of onchocerca volvulus (Leuckart 1893) in skin of natives of Gold Coast..... 422
Craik, R.: Acladium Castellani (Pinoy)..... 860
Crawford, S.: Disseminated epidermophytosis..... 310
Erythema induratum (Bazin)..... 576
Ichthyosis..... 307
Subcutaneous sarcoid (Darier-Roussy)..... 116
Syringadenoma..... 115
Crosti, A.: Etiology of esthiomene vulvae..... 551
Culver, G. D.: Series of angiomas in babies.....*769
—and Montgomery, D. W.: Lichen planus of glans penis..... *73
Cute: See Pinta disease
Cutis marmorata, inflammation of skin with netlike or branched lesions; Lehner and Kenedy..... 554
verticis gyrata; Fischer..... 553
verticis gyrata, case of puriglandular syndrome with; Schwank..... 729
verticis gyrata, Unna-Jadassohn's, compared with Alibert's dermatolysis, report of a case; E. A. Sainz de Aja and J. Bravo.....*797
Cyst, synovial lesion of skin; Wollenberg..... 131

Darier, J.: Three planes of diagnosis in dermatology..... 431
Tuberculids should be called "tuberculoids"..... 426
Darier's disease: See Keratosis follicularis
Dauptain: Congenital lymphangioma; angioma planum; keratotic nevus... 428

PAGE

Davis, R. H.: Argyria 243
Case for diagnosis 738
Postvaccinal pemphigus 246, 255
—and Davis, W. D.: Treatment of pemphigus *627
Davis, W. D.: Case for diagnosis 254, 736, 737
—and Davis, R. H.: Treatment of pemphigus *627
Day, H. F.: Multiple lipomas 543
Denney, O. E., and Kolmer, J. A.: Wassermann in leprosy with reference to new complement-fixation technic *63
Dermatitis ab igne; Abramowitz 102
barley, histologic investigations and experimental studies concerning the pathogenesis of pruritic erythematovesicular eruption produced by contact with barley pollen; Hodara, Behdjet and Sureya 90
calorica (?); Beinhauer 307
exfoliativa (healed with sodium hyposulphite); Trimble 278
factitia; Mitchell 263
from oleic acid, report of case; W. H. Hailey *530
herpetiformis; Doty, 129; Wise, 156; Armstrong, 258; Irvine and Turnacliff, 258; Porias, 315; Wile 866
herpetiformis in child; Guy and Jacob 308
infectious eczematoid dermatitis; Tobias 246
lacquer, or dermatosis industrialis (papulovesicular lacquer); J. T. Wayson *77
lichenoides chronica atrophicans; Wise, 436; Abramowitz 562
medicamentosa: See Drug eruption and under names of drugs
neurotic? associated with asthma; Jamieson 126
occupational dermatitis (dolomite); Hollander 118
picric acid, two cases of generalized dermatitis following moist applications of picric acid; Bernard-Ballet 86
plant; Ridley 425
psoriatic dermatitis exfoliativa; Milian, Perin and Grellety-Bosviel, 545; Roederer 547
repens; Ormsby and Mitchell 271
resin; report of case; Beinhauer 542
reticularis, note on; Herxheimer and Koppenhoefer 553
seborrhoica (psoriasiform type); Wertheimer 117
venenata, value of toxin (antigen) of rhus toxicodendron and rhus venenata in treatment and desensitization of patients with dermatitis venenata; Strickler 541
Dermatologists, heavenly meeting; W. J. Highman *531
Dermatology, index to current literature 158, 320, 452, 590, 741, 882
three planes of diagnosis in; Darier 431
Dermatolysis, Unna-Jadassohn's cutis verticis gyrata compared with Alibert's dermatolysis, report of a case; E. A. Sainz de Aja and J. Bravo *797
Dermatomyoma: See Myoma
Dermatophytons, cultivation of, and their differentiation by means of German mediums; Grutz 726
Dermatophytosis; Stevens 133
disseminated, (probably trichophyton) of animal origin; Jeanselme, Bloch and Hutinel 236
Dermatoscopy: See under Capillaries
Dermatoses, occupational; Sachs 726
progressive pigmentary (Schamberg's); Clark, 286; Stevens 873
relation of, to endocrine system; Brock 238
Dermoid, development of carcinoma in dermoid of skin; Schoenhof 239
Didry: Mercury and bismuth 546
Diot: Syphilis and tattooing 431
Diss, A.: Dermatomyoma 430
Dolomite, occupational dermatitis (dolomite); Hollander 118
Donald, R.: Wassermann micro-technique 422
Doty: Case for diagnosis 131, 869, 880

Doty—Continued PAGE
Charcot joints? 124
Dermatitis herpetiformis? 129
Leukoderma? 123
Melanotic carcinoma 128
Recurrent annular lesions of legs? 123
Douglas, E., Kolos, F., and Oliver, J.: Biologic reactions of arsphenamin; relative therapeutic efficiency of gelatin arsphenamin and disodium arsphenamin *359
Drant, H.: Tumor-like growths of Schweninger and Buzzi 303
Telangiectases 447
Drescher: Mycosis fungoides (prefungoid stage) 128
Drouet: Progressive scleroderma with sclerodactyly and generalized melanoderma 430
Syphilis and tattooing 431
Drug eruption: See also under Arsenic; Arsphenamin; Bromoderma; Iododerma; Mercury; Neo-arsphenamin; Phenolphthalein; Silver Arsphenamin
eruption; Sweitzer 260
eruption with molluscum contagiosum; Strauss 444
Dubreuilh, W.: Multiple fibromas of nail-bed 547
Duke, W. W.: Urticaria caused by light 542
Dumet: Acquired syphilis in an infant 426
Dyshidrosis: See Pompholyx

Eberson, F.: Etiology of pemphigus: bacteriologic findings in group of cases of pemphigus *204
Ecthyma, bullous purpura with ecthymatoid ulcerations occurring in patient with tuberculous adenopathy; Milian and Rivalier 85
Eczema, calcium chlorid in treatment of; Lampronti 89
chronic, treatment with concentrated carbon arc light (Finsen); Lomholt 422
importance of blood chemistry in; E. Pulay *175
infantile, dietary consideration in; Gerstley 424
of breasts, chronic, and amenorrhea in young girl; Lortat-Jacob and Legrain 427
protein sensitivity in children with negative cutaneous reactions; O'Keefe 423
relationship of eczemas to artificial dermatitides and to impetigo; Török. 721
roentgenologic findings in gastro-intestinal tract in eczemas and their importance for a causal therapy; Urbach 554
study of blood uric acid in diseases of skin, with particular reference to eczema and pruritus, based on an analysis of blood of 280 patients; J. F. Schamberg and H. Brown *801
treatment by the ionoid of arsenic; Lacapere 546
with keratosis pilaris; Weidman 302
Edema, angioneurotic edema with adenopathy; Moravec 91
Ehrmann: Lupus erythematodes 554
Electricity, burns on both hands by high frequency current; Krueger 588
Elephantiasis: clinical review and an attempt at experimental reproduction; Mahon 859
nostras of the vulva, one form of; diffuse connective-tissue hyperplasia at puberty, probably on a scrofulo-tuberculous basis; Weber 539
Eliascheff, O.: Oriental sore (Aleppo button) 429
Pagetoid epithelioma 713
Post-traumatic spinocellular epithelioma of nose 719
Precocious tertiary syphilitic gummas 547, 718
Eller, J. J., and Wise, F.: Bullous lesions in sarcoma of Kaposi and lichen planus 420
Endocrine system, relation of dermatoses to; Brock 238
Endothelioma capitis; Wertheimer 305
Endothermy, sarcoid of Boeck treated by; Levin 293
squamous cell carcinoma showing result of treatment with; Levin 294
tuberculous verrucosa cutis cured by; Levin 294
Engelhardt, W.: Irritating properties of three common powders 725
Engman, M. F.: Case of ioderma 254

Engman, M. F.—Continued PAGE
Case of xeroderma pigmentosum 254
Hereditary pigmentation of leg associated with atrophy *483
—and Weiss, R. S.: Xanthoma diabeticorum treated with insulin *625
Epidermolysis bullosa; Schwartz, 152; Levin, 289; Munson, 445; Oliver 581
Epidermophytosis, disseminated; Crawford 310
Epilepsy, case of epilepsy due to undiagnosed congenital syphilis; definite results after treatment with neo-arsphenamin; Leredde 545
Epithelioma; Trimble 152
developing on a keloid; Belot and Nahan 235
lupus erythematosus of cicatrizing superficial epithelioma; Scheer 107
lupus erythematosus or nodular syphiloderm and epithelioma of face; Abramowitz 571
multiple benign cystic; Fox, 288; Guy and Jacob, 312; Corson 449
multiple benign cystic; a contribution to its genesis; Gans 553
multiple benign cystic, with hemangiomatous formations; Bacher 552
of left hand; Parounagian 99
of right tonsil; Parounagian 96
of tongue; Parounagian 571
post-traumatic cutaneous epitheliomas; Hickel and Oberling 430
post-traumatic spinocellular epithelioma of nose; Eliascheff 719
prickle cell epithelioma of penis; Troxell 127
resembling blastomycosis; Stillians 264
ulceration of chin resembling epithelioma or syphilis; Bechet 586
vegetating papillary epithelioma with multiple histologic differentiations; Pautrier, Lévy and Lanzenberg 719
Epitheliomatosis: See Paget's disease
Erysipelas, alopecia post-erysipelas simulating syphilitic alopecia; Parounagian 103
Erythema ab igne, case of; Tobias 251
bismuth, three cases; Galliot 547
exsudativum multiforme following a fish meal; Rosenthal 739
figuratum perstans; Krueger 587
induratum; Jamieson, 126; Wise, 155; Crawford 576
induratum, with acrocyanosis; Greenbaum 303
induratum, with concomitant tuberculids on mucosa; Arndt 739
menstruale? Klein 443
multiforme; Schwartz and Busman 119
multiforme bullosum caused by arsenic, report of case; Macdonald 537
multiforme bullosum or pemphigus? Bechet 567
multiforme, palmar eruption of erythema multiforme type following arsphenamin treatment; Fox 439
multiforme with eruptions on tongue; Porias 315
nodosum or induratum; Rostenberg 288
perstans (?); Oliver, 264; Williams 569
septicotoxicum; Tanimura 551
variations of vagosympathetic equilibrium in course of some erythemas; Laurent 427
Erythroderma congenitale ichthyosiforme in an Arab child; Archibald 859
Erythrodermia, bismuth stomatitis with; Hudelo, Simon and Richon 236
desquamativa following psoriasis; 2 cases; Roederer 718
Escher: Vegetating follicular psorospermosis (Darier's disease) 429
Essermann, A. L., and Weiss, R. S.: Relationship between serum cholesterin and Wassermann *639
Etienne: Atypical scleroderma; hyperthyroidism 430
Excoriations: See Neurotic excoriations
Eye: See also Orbit
pemphigus of oral mucous membrane and eyes; Freeman 258

Fabry: Spontaneous or tumor keloids 240
Falkenstein: Lupus erythematodes 554
de Favento, P.: Death due to neo-arsphenamin 549

PAGE

Favus; Wise 155
achorion; Pasini 550
cutaneous reaction in case of; Ambrossoli 549
of glabrous skin without cups; epidemic of 5 cases; Jeanselme and Bloch 236
of nails: See Onychomycosis
of scalp; Wise 115, 155
of scalp and nails; Fox 154
Fernet, P.: Guttate parapsoriasis with leukoderma 85
Sarcoids of lower extremities in sclerodermiform plaques 715
Syphilitic reinfection after bismuth 715
Ferrand, M.: Vegetating and verrucous sporotrichosis of nose simulating tuberculosis verrucosa cutis 713
Fibroma, localized congenital tumor of neck; Kiess 722
multiple, of nail-bed; Dubreuilh 547
Ficker: Cultures of spirochaetae pallidae on liquid and solid soils 242
Filaria, new species of filarial larva found in skin of natives in Gold Coast; Macfie and Corson 422
Finnerud, C. W.: Extragenital chancre (?) 268
Keratoderma palmaris et plantaris 580
Urticaria pigmentosa (nodular type) 266, *344
Fischer: Cutis verticis gyrata 553
Nonsyphilitic therapy and prophylaxis of progressive paralysis 242
Folliculitis decalvans; McCafferty 561
ulerythematosa reticulata; Wise 155
ulerythematosa reticularis in sisters; Weiss 733
Fontana, A.: Neo-arsphenamin as stain for spirochaeta pallida 550
Fontoynont, M.: Mycoses in Madagascar 712
Fordyce, J. A.: Case for diagnosis 441
—and Cannon, A. B.: A hitherto undescribed condition of the tongue ... *749
Fordyce disease, Fox-Fordyce disease; Clark 573
Fox, H.: Alopecia syphilitica 154
Case for diagnosis (phenolphthalein eruption) 433
Case for diagnosis (pigmentation and keratosis of palm) 438
Case for diagnosis (sarcoid)? 434
Favus of scalp and nails 154
Generalized melanocarcinoma 276
Keloids of ears 153
Keratosis palmaris et plantaris hereditaria 154
Lichen planus with lesions on elbows resembling psoriasis 435
Lichen spinulosus (Devergie) 144
Lupus vulgaris 153
Palmar eruption of erythema multiforme type after arsphenamin 439
Report of case of lymphocytoma 287
Report of case of syringoma 288
Report on case of black tongue 287
Suppurating and cicatrizing inflammation of scalp 277
Sycosis 284
Syringo-cystoma 136
Trophic ulcer following nerve injury 284
Unilateral Darier's disease 275
Urticaria pigmentosa showing result of roentgen-ray 141
Frambesia, keratosis palmaris et plantaris due to frambesia; P. D. Gutierrez *382
Freeman: Pemphigus of oral mucous membrane and eyes 258
Frei, W.: Arsphenamin eruptions resembling lichen planus 241
Lichen ruber-like arsphenamin eruptions 553
Streptobacillus vaccine in ulcus molle serpiginosa 740
Freund, E.: Piedra nostras 548
Frost bite, treatment with roentgen rays; Fuhs 721
Frothingham, C.: Opportunity to enlighten hospital trustees 537
Fuchs: Circumscribed arsenic keratosis 740

PAGE

Fuhs, H.: Extensive hypertrophic cicatrices following combustion..... 588
Fungus affections due to trichophyton violaceum..... 723
Psoriasis arthropatique 588
Roentgen ray in furunculosis and hidradenitis axillaris..... 723
Roentgen rays in frost-bite..... 721
Syphilis of nose and perinasal region..... 239
Fungi, fungous diseases of man in state of Nebraska; Wohl..... 711
report on cultures of parasitic fungi; A. M. Greenwood..... *81
ringworm: See Ringworm fungi
Furunculis orientalis: See Oriental sore
roentgen-ray treatment of furunculosis and hidradenitis axillaris; Fuhs.. 723

Gager: Secondary syphilis 444
Tertiary syphilis 442
Galewsky: Keratosis spinulosa cum trichostasi (thysanothrix, Franke, trichostasis-spinulosa, Nobl) 238
Galliot, A.: Erythema from bismuth..... 547
Gangrene, syphilitic symmetric, affecting the nose and ears and rapidly cured by neo-arsphenamin; Milian and Perin..... 545
Gans: Pathogenesis of axillary abscesses..... 722
Syringoma 553
Tissue breathing and roentgen-ray effect..... 317
Garfield: Case for diagnosis..... 556
Tuberculosis verrucosa cutis 556
Gastou, P.: Early and late icterus from neo-arsphenamin..... 87
Leishmaniasis of face 86
Syphilitic origin of psoriasis..... 544
Gaté: Lichenoid eruption due to bismuth..... 716
Gawalowski, K.: Influence of roentgen rays on skin capillaries..... 730
Thymus function and roentgen rays..... 91
Gerstley, J. R.: Diet in infantile eczema..... 424
Gibson, R.: Keratoderma blennorrhagicum..... 539
Giemsa, G.: Bismuth therapy of syphilis..... 725
Giraud: Vincent's angina and penile ulceration..... 86
Gjorgjevic, G.: Internal treatment of ichthyosis..... 727
Glossitis, two cases of median depapillating glossitis; Siemens..... 315
Glossodynia, case of; control through nasal ganglion; Sluder..... 542
Gonin, R.: Reactions of intolerance to arsphenamins..... 543
Goodman, H.: Pseudoxanthoma elasticum..... 536
Goodpasture, E. W.: Experimental herpes zoster..... 711
Gougerot, H.: Recurrence of contagious lesions after negative Wassermann 545
Sarcoids of lower extremities in sclerodermiform plaques..... 715
Syphilitic reinfection after bismuth..... 715
Gouin: Soluble salt of bismuth in syphilis..... 430
Granuloma; Clark..... 282
annulare; Greenbaum, 447; Bothe..... 740
annulare after radium treatment; Wise..... 154
coccidioidal, introduction of, into Chicago; Hirsch..... 711
fungoides; Wertheimer, 312; Boardman, 560; Wile..... 871
fungoides following typical psoriasis; Wise..... 149
fungoides, generalized tinea? mycosis fungoides, premycotic stage; case for diagnosis; Chargin 295
fungoides in tumors of special histological type; Pautrier..... 719
fungoides (prefungoid stage); Drescher..... 128
inguinale; Parounagian, 293; Weinberg..... 861
inguinale (showing result of treatment); Parounagian..... 293
necrotic: See Acne varioliformis
pyogenic; Michelson, 261; Tobias..... 732
Greenbaum, S. S.: Acrocyanosis with erythema induratum..... 303

Greenbaum, S. S.—Continued PAGE
Colloid acne, is colloid acne a form of colloid milium?....*416
Granuloma annulare 447
Intramuscular injections of thymus in psoriasis.... 301
Napkin eruption (2 cases).... 446
Greenwood, A. M.: Morphea (?).... 557
Report on cultures of parasitic fungi.... *81
Grellety-Bosviel: Psoriatic dermatitis exfoliativa.... 545
Grutz, O.: Cultivation of dermatophytons and their differentiation by means of German mediums.... 726
Guarini, C.: Roentgen and radium therapy of psoriasis.... 88
Gumma, congenital syphilis: prepatellar gumma; Karcher.... 557
gummatous infiltration of puncture wound; Parounagian.... 99
hepatic, verified by exploratory laparotomy; Hickel.... 548, 718
large nodular syphiloderm developing in scar of previous syphilitic ulceration, with gummatous infiltration over sternomastoid region, and gumma of testicle; Rosen.... 112
of neck; Parounagian.... 103
of sternoclavicular articulation (left); Parounagian.... 103
precocious tertiary syphilitic; Eliascheff.... 547, 718
Gutierrez, P. D.: Keratosis palmaris et plantaris due to frambesia....*382
Gutmann, C.: A bismuth preparation, in combination with neo-arsphenamin, in syphilis.... 728
Guttmann: Subcutaneous tuberculids.... 314
Guy, W. H.: Adenoma sebaceum.... 578
Alopecia universalis.... 116
Dermatitis herpetiformis in child.... 308
Etiology of papulonecrotic tuberculid....*754
Lichen planus.... 121
Livedo reticularis.... 309
Sporotrichosis.... 310
Syringoma.... 312
Tuberculous adenitis resembling malignant tumor.... 306

Haden, R. L., and Jordan, W. H.: Multiple onychia as a manifestation of focal infection.... *31
Hadida: Rhinoscleroma.... 238
Haggqvist, G.: Effect of oxygen on skin capillaries.... 729
Hailey, W. H.: Dermatitis from oleic acid....*530
Hair, development of; Retterer.... 546
influence of cutting and repeated shaving on growth of hair; Bulliard.... 713
Halbron: Pregnancy in syphilitic.... 427
Psoriasis.... 716
Hardy, J. B.: Actinomycosis of abdominal wall.... 712
Harper, P.: Chaulmoogra oil in leprosy.... 859
Harrison, G. A.: Pathogenesis of xanthomatosis.... 538
Harrison, J. W.: Actinomycosis of abdominal wall.... 712
Harry, F.: Spore-forming ability of parasitic and pathogenic yeasts.... 722
Superficial trichophytosis.... 725
Hazen, H. H.: Late results in treatment of syphilis.... 542
Hedge: Parapsoriasis.... 265
Heinemann: Antibodies in tuberculosis; complement binding reaction in tuberculosis and its relation to malaria.... 432
Hemangioma: See Angioma
Hemorrhage, report on artificial provocation of skin hemorrhages for examining the constitution of the skin; Maerz.... 313
Herpes, recurrent, a case of recurrent herpes of buttock; its infectious nature; Milian.... 715
recurrent, rare case of recurrent herpes; H. G. Rowell.... *48
simplex (both cheeks completely affected); Abramowitz.... 298
zoster; Wohlwill.... 240
zoster and varicella, clinical notes; Roxburgh.... 539
zoster, experimental, preliminary report; Teague and Goodpasture.... 711

PAGE

Herrold, R. D.: Precipitation test for syphilis of concentrated arachnoid fluid and serum 542
Herxheimer: Blastomycosis cutis 555
Note on dermatitis reticularis 553
Hickel: Hepatic gumma 548, 718
Post-traumatic cutaneous epitheliomas 430
Highman, W. J.: A heavenly meeting *531
—and Sharlit, H.: Chromogenic indicators in dermatology *515
Hill, J. H.: Mercurials in syphilis; flumerin 540
Hinton, W. A.: Multiple lipomas 543
Hirsch, H. F.: Introduction of coccidioidal granuloma into Chicago 711
Histology, epithelial origin of cutaneous papillae; Retterer 716
rôle of so-called basal membrane as a link between the epidermis and the cutis; Busacca 552
Hodara, M.: Pruritic erythematovesicular eruption from barley pollen 90
Hodges, F. J.: Tryparsamid in neurosyphilis 540
Hoffman, W. H.: Blood in smallpox, with special reference to alastrim 861
Hollander: Occupational dermatitis (dolomite) 118
Pemphigus 120
Scleroderma with ulceration 306
Scrofuloderma; scleroderma 120
Holmes, J. A.: Kahn test for syphilis 543
Hopkins, J. G., and Iwamoto, K.: Fermentation reactions of ringworm fungi; characteristics of 3 divisions of trichophyton group *838
Fermentation reactions of ringworm fungi; differentiation of trichophyta and allied genera from other fungi *619
Horn, W. S.: Pneumococcus meningitis complicated by syphilis 423
Hubschmann, K.: Fixed mercurial exanthems 731
Hudelo: Bismuth stomatitis with erythroderma 236
Lymphoderma with angioplastic formations 86
Multiple tuberculous lesions, cutaneous and visceral 716
Huebner: Therapy of psoriasis vulgaris 317
Hugel: Extensive scleroderma on arm and trunk 717
Scleroderma 429, 547
Hutinel, J.: Disseminated dermatophytosis 236
Hydroa vacciniforme; Phillips 577
Hydrocystoma; Wise 438
after roentgen-ray treatment; Wise 148
Hydrogen ion concentration, use of chromogenic indicators in dermatology; H. Sharlit and W. J. Highman *515
Hyperglycemia: See Blood sugar
Hyperthyroidism, atypical scleroderma; hyperthyroidism; Etienne 430

Ichthyosis; Senear, *272*; Crawford 307
internal treatment of; Gjorgejevic and Pavlovic 727
serpentina in a girl aged 6; Winternitz 316
Immunity, "activation" of body cells; studies on immunity and virulence; Weichardt 432
Impetigo, bullous impetigo vulgaris of adults (circinate impetigo vulgaris); Bernhart 544
relationship of eczemas to artificial dermatitides and to impetigo; Török 721
Indicators, chromogenic, use of, in dermatology; H. Sharlit and W. J. Highman *515
Industrial dermatitis: See under Dermatitis
Infection, focal, multiple onychia as a manifestation of focal infection, experimental production of onychia in rabbits; R. L. Haden and W. H. Jordan *31
Inflammation; L. Török *505

PAGE

Insulin, xanthoma diabeticorum treated with insulin, report of case; M. F. Engman and R. S. Weiss....*625
Iododerma, case of; Engman.... 254
further contributions to experimental aspects of; U. J. Wile....*407
Irvine, H. G.: Case for diagnosis.... 261
Case for diagnosis; lepra?.... 262
Dermatitis herpetiformis 258
Lichen planus of palms (recurrent).... 260
Scleroderma 263
—and Stern, D.: Wassermann test....*818
Iwamoto, K., and Hopkins, J. G.: Fermentation reactions of ringworm fungi; characteristics of 3 divisions of trichophyton group....*838
Fermentation reactions of ringworm fungi; differentiation of trichophyta and allied genera from other fungi....*619

Jacob: Adenoma sebaceum.... 578
Alopecia universalis 116
Dermatitis herpetiformis in child.... 308
Lichen planus 121
Livedo reticularis 309
Sporotrichosis 310
Syringoma 312
Tuberculous adenitis resembling malignant tumor.... 306
Jacobsohn: Effect of thallium.... 241
Jacobson, J.: Benzyl cinnamic ether intramuscularly in tuberculous ulceration 88
Jacobsthal: Counting cell elements in spinal fluid.... 241
Jacoby, R.: Roentgen-ray treatment in acne vulgaris.... 537
Jadassohn, J.: Arsphenamin eruptions resembling lichen planus.... 241
Jamieson: A scar, possibly result of Leishman-Donovan infection.... 123
Case for diagnosis....122, 874
Dermatitis (neurotic?) with asthma.... 126
Erythema induratum 126
Hemangioma 879
Idiopathic linear atrophy.... 125
Keratoderma blennorrhagica 130
Lupus vulgaris 870
Lymphangioma-endothelioma 877
Paraffinoma 122
Scleroderma 868
Xanthoma tuberosum multiplex....125, 877
Janovsky, V.: Acne rosacea syphilitica.... 728
Jaundice, early and late icterus due to neo-arsphenamin; Gastou and Pontoizeau 87
following arsphenamin treatment of syphilis; Wosegien.... 552
in syphilis; Palvarini.... 550
Jeanselme: Disseminated dermatophytosis.... 236
Favus of glabrous skin without cups.... 236
Idiopathic trichoclasia 236
International organization against venereal peril.... 235
Scleroderma in plaques.... 237
Jegat: Soluble salt of bismuth in syphilis.... 430
Jersild, O.: Diffusion of uranin into spinal fluid of syphilitic.... 712
Jessner: A new form of nail mycosis.... 551
Jordan, A.: Conclusions after first decade of combined treatment of syphilis 724
Jordan, W. H., and Haden, R. L.: Multiple onychia as a manifestation of focal infection *31
Juster: Alopecia areata.... 426
Lesion of brachial plexus.... 426

PAGE

Kabelik, J.: Rhinoscleroma 729
Kadlicky, R.: Lymphogranulomatosis cutis et conjunctivae bulbi 728
Kahn, R. L.: Kahn test for syphilis 542
Kahn precipitation test for syphilis; Holmes 543
in leprosy; E. M. Yagle and J. A. Kolmer *183
rapid precipitation phase of Kahn test for syphilis; Kahn 542
Karcher: Congenital syphilis: prepatellar gumma 557
Keidel, A.: Wassermann reaction in Johns Hopkins Hospital 234
Keloids, epithelioma developing on keloid; Belot and Nahan 235
extensive hypertrophic cicatrices following combustion; Fuhs 588
large, treatment of, by solid carbon dioxid; Spillmann and Mouton-Chapat 431
of ears; Fox 153
spontaneous; Lane 153
spontaneous or tumor keloids; development of keloid in molluscum contagiosum; annular and serpiginous keloids; treatment of keloids; Fabry and Bockholt 240
Kemp, J. E.: Syphilis of orbit *165
Kenedy: Inflammation of skin 554
Keratoconjunctivitis, trichophytic keratoconjunctivitis; Milian and LeLong .. 86
Keratosis, arsenical? Oliver 267
blennorrhagica; Jamieson, 130; A. W. Stillians and E. P. Zeisler, *393; Kretschmer, 423; Gibson, 539; Wile 870
case for diagnosis (pigmentation and keratosis of palm); Fox 438
follicularis; Burnier and Rejsek, 237; Escher, 429; MacDonald 557
follicularis, unilateral; Fox 275
hemorrhagic papular eruption accompanying a gonorrheal infection, becoming nodular and keratodermic; Lortat-Jacob and Solente 715
hyperkeratosis and lesions of sympathetic nervous system; Lortat-Jacob .. 545
hyperkeratosis of thenar eminence limited to region supplied by seventh cervical nerve segment, related to a radicular obstetrical paralysis accompanied by sympathetic disorders; Lortat-Jacob, Legrain and Lefevre 428
lesion of brachial plexus due to shoulder dislocation; cubital and median causalgia; palmar keratoderma; Levy-Franckel, Juster and Rimet ... 426
palmaris et plantaris; Oliver and Finnerud 580
palmaris et plantaris due to frambesia; P. D. Gutierrez *382
palmaris et plantaris hereditaria; Fox 154
pilaris, eczema with; Weidman 302
pilaris, lichen pilaris seu spinulosus (Crocker), report of a case; H. J. F. Wallhauser *776
psoriasis with unusual keratosis of palms; Williams 565
punctate; S. E. Sweitzer *687
spinulosa cum trichostasi (thysanothrix, Franke, trichostasis-spinulosa, Nobl); Galewsky 238
Kiess, O.: Localized congenital tumors of neck 722
Kirchner, A., and Wile, U. J.: New method for demonstration of spirochaeta pallida in spinal fluid *831
Klauder, J. V., and Robertson, W. E.: Lupus erythematosus acutus disseminatus, report of a fatal case associated with disseminated telangiectasis *487
Klein: Case for diagnosis (erythema menstruale?) 443
Lichen ruber planus 257
Lichen urticatus 441
Lupus vulgaris verrucosus 258
Neurotic excoriations 444
Sycosis parasitaria 259
Klopstock: Antigen properties of tuberculin 90
Knowles: Parapsoriasis 302
Koenig: Purpura fulminans in child 90

PAGE

Kollmann: Mixed injections of colloidal mercury 317
Kolmer, J. A.: Complement fixation reaction in syphilis 421
—and Denney, O. E.: Wassermann reaction in leprosy with special reference to new complement-fixation technic *63
—and Yagle, E. M.: Kahn precipitation in leprosy *183
Kolmer test; Wassermann test; H. G. Irvine and D. Stern *818
Kolos, F., Oliver, J., and Douglas, E.: Biologic reactions of arsphenamin; relative therapeutic efficiency of gelatin arsphenamin and disodium arsphenamin *359
—Oliver, J., and Yamada, S. S.: Biologic reactions of arsphenamin; reduction of its toxicity by combination with hydrophil colloids *1
Koopmann, H.: Anatomic effect of Ponndorf inoculation test 726
Koppenhoefer: Dermatitis reticularis 553
Krantz: Effect of neo-arsphenamin on spirochetes of syphilis 315
Kreibich, C.: Pathogenesis of miliaria crystallina 724
Origin of lipoid cell granules 239
Kretschmer, H. L.: Keratodermia blennorrhagica 423
Kring, R.: Case for diagnosis 249, 251, 256, 732, 735
Lupus vulgaris disseminatus 735
Krott: Arsphenamin dermatitis 551
Krueger: Erythema figuratum perstans 587
High frequency current burns 588
Kumer: Acne telangiectodes (Kaposi) 317
Roentgen-ray ulceration 588

Lacapere, G.: Ionoid of arsenic in eczema 546
Localized eruptions following arsphenamin 428
Lacquer dermatitis: See under Dermatitis
Lacroix, A.: Curative fibrosis of varicose veins 87
Perifollicular pseudocolloid nevus 713
Lambert, R. A.: Oriental sore in United States 422
Lampronti, G.: Calcium chlorid in eczema 89
Lamy, L.: Zoniform leukoderma of right flank; band of scleroderma with atrophy en masse of left lower extremity; vertebral anomalies: sacralization, spina bifida occulta 427
Landree, J. C.: Case for diagnosis 252
Lane, J. E.: Poikiloderma atrophicans vasculare *373
Spontaneous keloids 153
Lang, M.: Thrush of skin 723
Langer: Leukoderma in children with acquired syphilis 739
Lanzenberg: Vegetating papillary epithelioma 719
Lauerbach, F.: Normal salt solution and sodium chlorid solution 725
Laurent, C.: Contagious lesions recurring after negative Wassermann 238
Scabies and psoriasis 88
Laurent, M.: Variations of vagosympathetic equilibrium in erythemas 427
Laurentier, C.: Cytologic study of syphiloma 714
Lebeuf: Lichenoid eruption due to bismuth 716
Lefevre, P.: Hyperkeratosis of thenar eminence; radicular obstetrical paralysis; sympathetic disorders 428
Nodular lymphomatosis without leukemia 85
Legrain, P.: Eczema of breasts and amenorrhea 427
Hyperkeratosis of thenar eminence; radicular obstetrical paralysis; sympathetic disorders 428
Urticaria pigmentosa 545
Vaccinia generalized by multiple inoculations in eczematoid prurigo 428
Lehner: Inflammation of skin 554
Leiomyoma: See Myoma
Leishmania donovani in peripheral blood; Young and Van Sant 862
Leishmaniasis, dermal : See Oriental sore

PAGE

LeLong: Polyneuritis following neo-arsphenamin 85
Trichophytic keratoconjunctivitis 86
Lenk: Irradiation technic in male pelvis 432
Leone, R.: Gastric syphilis 551
Lepinay, E.: Localized eruptions following arsphenamin 428
Urticaria due to bismuth 428
Leprosy; Wise, 151; Stillians, 275; Phillips 574
and syphilis; Wise 138
antimony and sulphur treatment of; Cawston 425
case for diagnosis; lepra? (trophic bone changes); Irvine and Turnacliff 262
complement fixation reaction in; Lewis and Aronson 862
Kahn precipitation in; E. M. Yagle and J. A. Kolmer *183
maculo-anesthetic; Wile 872
nodular, unusual type of, in the Sudan; Archibald 421
treatment by intravenous injection of chaulmoogra oil; Harper 859
tuberculous leprosy; Pautrier and Boez 718
tuberculous, probable tuberculoid lepra (a case for diagnosis); Pautrier and Boez 548
Wassermann reaction in leprosy with special reference to new complement-fixation technic; J. A. Kolmer and O. E. Denney *63
Leredde: Epilepsy due to congenital syphilis 545
Search for syphilis in psoriatic patients 427
Leri, A.: Syphilitic leukoderma 427
Verrucous nevi and multiple nerve lesions; incomplete von Recklinghausen's disease; hemiatrophy; hemihypotonia; hemisudation; unilateral oculo-sympathetic syndrome 547
Zoniform leukoderma of right flank; band of scleroderma with atrophy en masse of left lower extremity; vertebral anomalies: sacralization, spina bifida occulta 427
Leukemia cutis; Clark, 281; Schultze, 314; Wile 876
Leukoderma: See Albinismus
Leukopathia, unguium, generalized leukonychia appearing suddenly in man aged 22 years; Ballet 236
Leukoplakia and squamous cell carcinoma; Levin 114
Leven: Nourney's venous blood injections 240
Origin of birthmarks 727
Levin: Acne varioliformis and neurotic excoriations 299
Epidermolysis bullosa hereditaria 289
Fixed eruption with pigmentation from arsphenamin 109
Injections of tuberculin emulsion in necrotic granuloma 298
Leukoplakia and squamous cell carcinoma 114
Lichen morphoeicus 290
Lupus erythematosus disseminatus 299
Malum perforans pedis 298
Parapsoriasis 98
Phlebitis migrans 298
Recklinghausen's disease 114
Sarcoid of Boeck; treated by endothermy 293
Squamous cell carcinoma showing result of endothermy 294
Tuberculous verrucosa cutis cured by endothermy 294
Lévy: Vegetating papillary epithelioma 719
Levy-Franckel: Alopecia areata 426
Lesion of brachial plexus 426
Lewis, P. A.: Complement fixation reaction in leprosy 862
Lichen, giant lichenification of genital folds; Pautrier and Roederer 429
morphoeicus; Levin 290
objections to conception of lichenifications; Brocq 712
obtusus corneus or circumscribed chronic nodular lichenification; Burnier and Rejsek 546
pilaris: See Keratosis pilaris

Lichen—Continued PAGE
planus, arsphenamin eruptions resembling lichen planus; Frei and Tachau, 241; Jadassohn 241
planus, arsphenamin eruptions resembling lichen planus; lichen planus; lichenoid disposition and several constitutional types of skin; Buschke and Sklarz 725
planus (bullosus); Parounagian 292
planus, bullous lesions in sarcoma of Kaposi and lichen planus; Wise and Eller 420
planus, case of, evidently of infectious origin; Audry 87
planus hypertrophicus; Smith 448
planus hypertrophicus in Sudan; Archibald 859
planus in a 2 year old child; Oliver 272
planus of glans penis; D. W. Montgomery and G. D. Culver *73
planus of mouth and penis; Wertheimer 117
planus of palms (recurrent); Irvine and Turnacliff 260
planus pemphigoides, clinical and histologic study of; Pokorny 723
planus, two cases of generalized circinate lichen planus of erythrodermic type; the appearance of generalized lichen planus after administration of neo-arsphenamin; Pautrier 548, 718
planus with annular mucous membrane lesions; Guy and Jacob 121
planus with lesions on elbows resembling psoriasis; Fox 435
planus, zoniform, following mosquito bite; Bory 717
ruber-like arsphenamin eruptions; Frei and Tachau 553
ruber planus; Klein, 257; Wile 863
spinulosus (Devergie); Fox 144
urticatus; Klein 441
Light, urticaria caused by; preliminary report; Duke 542
de Lima, P.: Onychogryphosis 544
Lindberg, K.: Cutaneous pigment 714
Vitiligo 717
Linden, J. S.: Action of ultra-violet light 234
Lip, melanoma of lower lip; E. W. Netherton *402
papilloma of; Michelson 443
Lipoids, origin of lipoid cell granules; Kreibich 239
Lipomas, multiple; Parounagian 566
multiple, of symmetrical distribution; Day and Hinton 543
Lipschutz, B.: Experimental melanoma of tarred mouse 727
Litvak, A.: Intra-uterine transmission of anthrax 541
Livedo racemosa; Perutz 587
reticularis; Guy and Jacob 309
Lividity of extremities, with a tendency to atrophy (possibly related to poikiloderma); Rabut, Cailliau and Richon 714
Lix, A.: Bilateral hydrarthrosis of knees as sign of syphilis 429
Löblich, H.: Intracutaneous horse serum reaction in skin tuberculosis 722
Loevenhart, A. S.: Tryparsamid in neurosyphilis 540
Loew: Injections of mineral waters in urticaria 317
Lombardo, C.: Spirochetes in condyloma acuminatum 720
Lomholt, S.: Carbon arc light (Finsen) in eczema 422
Lortat-Jacob, L.: Eczema of breasts and amenorrhea 427
Guttate parapsoriasis with leukoderma 85
Hemorrhagic papular eruption with gonorrhea 715
Hyperkeratosis and lesions of sympathetic nervous system 545
Hyperkeratosis of thenar eminence; radicular obstetrical paralysis; sympathetic disorders 428
Nodular lymphomatosis without leukemia 85
Urticaria pigmentosa 545
Vaccinia generalized by multiple inoculations in eczematoid prurigo 428
Louste: Congenital lymphangioma; angioma planum; keratotic nevus 428
Papulonecrotic and nodular tuberculids of face 426
Porokeratosis of Mibelli 716

PAGE

Ludy: Congenital alopecia 446
Pigmentation, circumoral 446
Lupoid, miliary: See Sarcoid
Lupus angiomatosus; Volk 588
disseminated miliary lupoid of face; Pautrier and Roederer 547
erythematosus; Parounagian, 102; Rostenberg, 114; Schwartz and Busman, 115, 576; Ehrmann and Falkenstein 554
erythematosus acutus disseminatus, report of a fatal case associated with disseminated telangiectasis; W. E. Robertson and J. V. Klauder *487
erythematosus and paraffinoma; Williams 299
erythematosus, carcinoma on; Strassberg 588
erythematosus discoides; Wise 155
erythematosus discoides, early; Scheer 95
erythematosus disseminatus; Levin 299
erythematosus disseminatus chronicus; Wise 145
erythematosus in a syphilitic person; Parounagian 300
erythematosus of cicatrizing superficial epithelioma; Scheer 107
erythematosus of scalp; Scheer 572
erythematosus or nodular syphiloderm and epithelioma of face; Abramowitz 571
erythematosus or sarcoid of Boeck? Michelson 260
etiology of esthiomene vulvae; Crosti 551
pernio; Rothwell, 105; Trimble 152
pernio, bone alterations in; Martenstein 740
vulgaris; Rothwell, 96; Abramowitz, 102; Scheer, 106; Rosen, 115; Fox, 153; Wise, 156; Strauss, 303; Jamieson 870
vulgaris, carbon-arc light baths in treatment of; Sequeira 538
vulgaris disseminatus? case of; Kring 735
vulgaris, leishmaniasis of skin resembling; hitherto unclassified; Christopherson 539
vulgaris of scalp; Trimble 278
vulgaris or nodular syphilid; Abramowitz 565
vulgaris resembling lupus erythematosus; Wise, 435; Scheer 570
vulgaris, unusual form of; Wile 870
vulgaris verrucosus; Klein 258
Lymph nodes, histological changes in lymphatic glands following exposures to radium; Mottram 421
infraclavicular glands in syphilitic persons; Oelze 239
tuberculosis, acquired lymphangioma of vulva secondary to tuberculous obliteration of inguinal glands; J. H. Stokes *498
Lymphangiectasis: See under Angioma
Lymphangioma: See under Angioma
Lymphocytoma, report of case; Fox 287
Lymphoderma with angioplastic formations (angioplastic sarcoma of lymphoid tissue?); Hudelo, Richon and Cailliau 86
Lymphogranulomatosis cutis; Whitehouse 140
cutis et conjunctivae bulbi; Reinsberg and Kadlicky 728
Lymphoma, case of nodular lymphomatosis without leukemia; Lortat-Jacob and Lefevre 85
Lymphosarcoma; Rothwell, 107; Wise, 149; Spiegler-Fendt 136
Lyon, A.: Unilateral Hutchinsonian teeth 714

McCafferty, L. K.: Bismuth in syphilis *469
Folliculitis decalvans 561
Recklinghausen's disease 570
McConnell, G. M.: Positive Wassermann in estivo-autumnal malaria 423
McDonagh, J. E. R.: Manganese as a chemotherapeutic agent 538
Macdonald, W. J.: Erythema multiforme bullosum from arsenic 537
Keratosis follicularis 557
Phototherapeutic considerations in dermatoses 538
McDonald, W. M.: Alastrim in Antigua 861
Macfie, J. W. F.: New species of filarial larva 422
McGlasson, I. L.: Hyperglycemia as etiologic factor in certain dermatoses. *665

PAGE
McIntosh, R. L.: Annular syphiloderm of face in white man..... 248
Mackey: Linear nevi..... 581
Maerz: Artificial provocation of skin hemorrhages..... 313
Mahon, G. D.: Elephantiasis..... 859
Majocchi, D.: Purpura annularis telangiectodes..... 548
Majocchi's disease? case for diagnosis; Scheer..... 108
Mal perforant: See Ulcer, perforating
Malaria, complement binding reaction in tuberculosis and its relation to malaria; Heinemann 432
estivo-autumnal, positive Wassermann reaction in a fatal case of; McConnell 423
Mallia, W. M., and Sutton, L. A.: Malignant melanoma in negro.....*325
Maloney: Chancre of lip..... 114
Malum perforans pedis: See Ulcer, perforating
Manganese as a chemotherapeutic agent; McDonagh..... 538
Martenstein: Bone alterations in lupus pernio..... 740
Martinotti, L.: Immunization of skin in patients with ringworm..... 549
Matta, M.: Bismuth in leprosy..... 720
Maximow, A. A.: Changes produced by roentgen rays in inflamed connective tissue 424
Mayr: Bismuth therapy in syphilis..... 316
Systematized sebaceous gland nevus..... 553
Measles, discovery of a new type of germ isolated from cases of measles and scarlet fever (minute gram-negative anaerobic diplococcus); Thomson 861
Melanocarcinoma; Beinhauer, 121; Doty, 128; Wile..... 868
generalized; Fox 276
Melanoderma, progressive scleroderma with sclerodactyly and generalized melanoderma; Spillmann and Drouet..... 430
Melanoma, experimental, of tarred mouse; Lipschutz..... 727
malignant melanoma in negro; L. A. Sutton and W. M. Mallia.....*325
of foot; Stillians..... 267
of lower lip, report of case; E. W. Netherton.....*402
Melasma: See Melanoderma
Memmesheimer, A.: Reflections against arsphenamin mixed injections.... 724
Mendelson, R. W.: Combined pellagra and beriberi..... 859
Xanthoma tropicum (juxta-articular nodules)..... 860
Meningitis, pneumococcus, complicated by syphilis, autoserum treatment of; Horn 423
Mercury: See also under Syphilis
and bismuth; experimental study of their spirillicidal activity and comparative toxicity; Pomaret and Didry..... 546
fixed mercurial exanthems; Hübschmann..... 731
Meska, A.: Relation of acne to vitamin starvation..... 92
Michael, J. C.: Dermatoscopy, study of blood vessel form and arrangement in various dermatoses.....*603
Michelson: Case for diagnosis.....260, 442
Papilloma of lip..... 443
Pyogenic granuloma 261
Scrofuloderma—papulonecrotic tuberculid 262
Seborrheic type of psoriasis..... 442
Vascular nevus 441
Milian, G.: Bullous purpura with ecthymatoid ulcerations with tuberculous adenopathy 85
Polyneuritis after neo-arsphenamin..... 85
Psoriatic dermatitis exfoliativa..... 545
Raynaud's disease 545
Recurrent herpes of buttock..... 715
Solid carbon dioxid in sarcoma of Kaposi..... 546
Trichophytic keratoconjunctivitis 86
Miliaria crystallina: See Sudamen

PAGE

Miller: Alopecia universalis 115
Mills, C. H.: Arseno-benzol in syphilis 539
Mineral waters, injections of, in urticaria and similar dermatoses; Loew ... 317
Mitchell: Case for diagnosis 579
  Dermatitis factitia 263
  Dermatitis repens 271
  Generalized telangiectasia 270
  Leiomyoma 273, 581
  Pityriasis rosea 578
  Pseudopelade 273
Molluscum contagiosum, development of keloid in; Fabry and Bockholt ... 240
  contagiosum with dermatitis medicamentosa; Strauss 444
Mongolian spots in Europeans, a contribution to knowledge of pigment; Bahrawy 553
Monilethrix; Tobias, 252; Bechet 561
  report of 5 cases of familial and hereditary type; N. Tobias *655
Montgomery, D. W., and Culver, G. D.: Lichen planus of glans penis *73
Montpellier, J.: Curative fibrosis of varicose veins 87
  Perifollicular pseudocolloid nevus 713
Moog: Microcapillary observations on effect of some vessel agents 242
Mook, W. H., and Weiss, R. S.: Xanthoma and hypercholesterinemia, *19; correction 535
Moon, V. H.: Precipitin test in syphilis 541
Moore, J. E.: Pregnancy and syphilis 234
  Wassermann reaction in Johns Hopkins Hospital 234
Moravec, Z.: Angioneurotic edema with adenopathy 91
Morphea: See Scleroderma, circumscribed
Morrow, H.: Education of specialist *597
Mottram, J. C.: Histological changes in lymphatic glands after exposures to radium 421
Mouth, exfoliatio areata linguae et mucosae oris; Arndt 739
  pemphigus of oral mucous membrane and eyes; Freeman 258
Mouton-Chapat: Solid carbon dioxid in large keloids 431
Mueller: Bismuth preparation in tertiary syphilis 314
Muhlpfordt, H.: Under-dosing with arsphenamin 727
Munson: Epidermolysis bullosa 445
Murray: Case for diagnosis 873
Mycelium, elastic tissue simulating mycelial filaments in skin scrapings; I. R. Pels and S. Bayne-Jones *37
Mycoses in Madagascar; Fontoynont and Boucher 712
  fungoides: See Granuloma fungoides
  intertrigo mycoses; Sabouraud 713
  mycotic infection of hand; Williams 562
  of nails: See Onychomycosis
Myoma, dermatomyoma, two cases; Diss 430
  leiomyoma; Oliver and Mitchell 581
  leiomyoma of skin; Ormsby and Mitchell 273

Nahan, L.: Epithelioma developing on a keloid 235
Nail-bed, multiple fibromas of nail-bed; Dubreuilh 547
Nails, mycosis of: See Onychomycosis
  psoriasis of; Siemens 315
Nakahara, W.: Fate of cancer grafts inoculated into an X-rayed area 862
Napkin eruption (two cases); Greenbaum 446
Negro, malignant melanoma in negro; L. A. Sutton and W. M. Mallia *325
Neo-arsphenamin: See also under Syphilis
  appearance of generalized lichen planus after administration of; Pautrier 548, 718
  as a stain for spirochaeta pallida; Fontana 550
  death due to; de Favento 549

Neo-arsphenamin—Continued PAGE
disturbances caused by; and how to prevent them, with special reference to epinephrin; Reinhard-Eichelbaum 432
early and late icterus due to; Gastou and Pontoizeau 87
erythematosquamous dermatitis with attack of polyneuritis after; Ballet .. 237
pharmacologic effect of; effect on the surviving colon; Perutz and Rosenmann 552
polyneuritis following treatment with; Milian and LeLong 85
polyneuritis with an erythematosquamous dermatitis after injections of; Ballet 237
Nerve distribution, research significance of Head's zones of irritation in sympathetic and spinal domains; Cimbal 727
lesions, multiple and verrucous nevi; Leri and Tzanck 547
Netherton, E. W.: Melanoma of lower lip *402
Prurigo nodularis *193
Neuendorff, R.: Bismuth treatment of syphilis 721
Neurofibromatosis: See Recklinghausen's disease
Neurosyphilis, factors in development of neurosyphilitic lesions in late congenital syphilis; Zabriskie 711
treatment of; Alurralde 721
tryparsamid in; Loevenhart, Bleckwenn and Hodges 540
Neurotic excoriations; Wise, 157; Klein 444
and acne varioliformis; Levin 299
Nevus: See under Angioma
Nichols, H. J.: Prophylaxis and treatment of syphilis 425
Nicolas: Lichenoid eruption due to bismuth 716
von Notthafft: Alcohol and venereal diseases 727
Novak, A: Dermatoscopy of normal skin 730

Oberling: Post-traumatic cutaneous epitheliomas 430
OBITUARY:
Herbert Burr Howard, M.D., In memoriam 259
James MacFarlane Winfield, M.D. 83
Ochs: Xanthoma tuberosum multiplex cured 93
Odland: Pityriasis rosea 443
Urticaria pigmentosa 260, 443
Oelze: Infraclavicular glands in syphilitic 239
Oelze-Rheinboldt, M.: Ulcus vulvae acutum and local bacilli 724
O'Keefe, E. S.: Protein sensitivity 423
Oleic acid dermatitis; report of case; W. H. Hailey *530
Oliver, E. A.: Arsenical keratosis (?) 267
Case for diagnosis 266, 582
Case for diagnosis; erythema perstans (?) 264
Epidermolysis bullosa hereditaria 581
Generalized scrofuloderma 271
Keratoderma palmaris et plantaris 580
Lichen planus in a 2 year old child 272
Morphea 273
Oliver, E. L.: Actinomycosis of malignancy (?) 556
Oliver, J., Douglas, E., and Kolos, F.: Biologic reactions of arsphenamin; relative therapeutic efficiency of gelatin arsphenamin and disodium arsphenamin *359
—Yamada, S. S., and Kolos, F.: Biologic reactions of arsphenamin; reduction of its toxicity by combination with hydrophil colloids *1
Olson: Nevus linearis 260
Onchocerca volvulus (Leuckart 1893), occurrence of larvae of, in skin of natives of Gold Coast; Corson 422
Onychia, multiple, as manifestation of focal infection, experimental production of onychia in rabbits; R. L. Haden and W. H. Jordan *31
tuberculous, case with unusual features; J. H. Stokes *44
Onychogryphosis; Bechet, 279; de Lima 544
Onycholysis partialis dystrophica; Oppenheim 588

PAGE

Onychomycosis, new form of nail mycosis; Jessner 551
peculiar nail mycosis in China (onycholysis trychophytica); Reiss 728
peculiarities of; Wirz 722
primary favus of nails; Swartz 559
with favus of scalp and nails; Fox 154
Oppenheim: Onycholysis partialis dystrophica 588
Ulceration on back of foot due to a diplostreptococcus 588
Orbit, syphilis of orbit; J. E. Kemp *165
Oriental sore; Pautrier and Eliascheff 429
dermal leishmanoid; Brahmachari 860
in United States; Lambert 422
leishmaniasis of skin resembling lupus vulgaris; hitherto unclassified; Christopherson 539
of face; Gastou and Tissott 86
of nose; Pautrier and Roederer 719
phosphorus in treatment of; Castellani 861
scar, possibly result of Leishman-Donovan infection; Jamieson 123
subcutaneous gumma of leishmaniasis (oriental sore); Vigne and Pringault 237
treatment by means of diathermy; Behdjet 724
triple oriental sore of face; Stancanelli 88
Ormsby: Case for diagnosis 579
Dermatitis repens 271
Generalized telangiectasia 270
Leiomyoma 273, 581
Lymphangioma 271
Pityriasis rosea 578
Pseudopelade 273
Osteo-arthropathy, tabetic osteo-arthropathies of both hips; Barthelemy 427
Ozena of nasal foci probably due to hereditary syphilis, ameliorated by bismuth; Walter and Roederer 719

Paget's disease, epitheliomatosis en nappe of thorax after ablation of cancer of breast; Spillmann 431
pagetoid epithelioma; Eliascheff 713
Palate, perforation of; Parounagian 570
Palvarini, A.: Jaundice in syphilis 550
Paraffinoma; Jamieson 122
and lupus erythematosus; Williams 299
danger of liquid petrolatum in parenteral injections; Weidman 541
Paralysis, general, nonsyphilitic therapy and prophylaxis of progressive paralysis; Fischer 242
Parapsoriasis; Levin, 98; Wise, 156; Hedge, 265; Knowles, 302; Clark 584
en plaque; Wise 440
guttata, with leukoderma; Lortat-Jacob and Fernet 85
lichenoides; Wolf 570
Paronychia: See Onychia
Parounagian: Alopecia post-erysipelas simulating syphilitic alopecia 103
Carcinoma of face 564
Chancroid (healed) finger and penis 572
Chancroid of penis and finger 295
Chronic fibroid subcutaneous syphiloma 300
Epithelioma of left hand 99
Epithelioma of right tonsil 96
Epithelioma of tongue 571
Granuloma inguinale 293
Granuloma inguinale (showing result of treatment) 293
Gumma of neck 103
Gumma of sternoclavicular articulation 103
Gummatous infiltration of puncture wound 99
Late congenital syphilis 103
Lichen planus (bullosus) 292

Parounagian—Continued PAGE
Lipomas? neurofibromas? 566
Lupus erythematosus 102
Lupus erythematosus in syphilitic 300
Perforation of palate 570
Pigmentary secondary syphilis 96
Primary syphilis (rosette type of chancre) 103
Secondary syphilis 571
Silver arsphenamin dermatitis 100
Syphilitic reinfection 98
Tertiary syphilitic ulceration of forearm 571
Pasini, A.: Atrophoderma idiopatica progressiva 550
Favus Achorion 550
Pastes, apropos of use of, in dermatology; Veyrieres 544
Pautrier: Disseminated miliary lupoid of face 547, 717
Generalized circinate lichen planus 548, 718
Giant lichenification of genital folds 429
Mycosis fungoides in tumors 719
Oriental boil of nose 719
Oriental sore (Aleppo button) 429
Probable tuberculoid lepra 548
Probable tuberculous leprosy 718
Vegetating papillary epithelioma 719
Verrucous angioma of entire leg 719
Pavlovic, R. A.: Ichthyosis 727
Payr: Germ-free colloidal pepsin solution for cicatrices 91
Pelade: See Alopecia areata
Pellagra; Schamberg 445
and beriberi; Mendelson 859
in Massachusetts; Shattuck 537
in Massachusetts, factors apparently influencing development of; Shattuck 537
Pels, I. R., and Bayne-Jones, S.: Elastic tissue simulating mycelial filaments in skin scrapings *37
Pelvis, irradiation technic in region of male pelvis; Lenk 432
Pemphigus; Hollander 120
bacteriologic findings in group of cases of; F. Eberson *204
contribution to treatment of; R. H. Davis and W. D. Davis *627
foliaceus and trauma; Bockholt 554
of oral mucous membrane and eyes; Freeman 258
or dermatitis herpetiformis; Wile 866
or erythema multiforme bullosum; Bechet 567
postvaccinal; Davis 246, 255
vulgaris; Van Rhee, 130; Wise 150
Perin: Psoriatic dermatitis exfoliativa 545
Raynaud's disease 545
Solid carbon dioxid in sarcoma of Kaposi 546
Perkins: Case for diagnosis 129
Perutz: Livedo racemosa 587
Pharmacologic effect of neo-arsphenamin 552
Phagocytosis, studies on influence of roentgen and radium rays on phagocytosis; Westman 235
Phenolphthalein eruption; Wise, 135; Phillips 574
Phillips: Acne varioliformis 573
Case for diagnosis 575
Hydroa vacciniforme 577
Leprosy (?) 574
Phenolphthalein eruption 574
Phlebitis migrans; Levin 298
Phototherapy, in some dermatoses; Macdonald 538
red light treatment; H. E. Ahlswede *527

PAGE

Piedra nostras; Freund 548
Pigmentation: See also Albinismus
and keratosis of palm; Fox 438
circumoral; Ludy 446
cutaneous pigment; Lindberg 714
hereditary, of leg associated with atrophy; M. F. Engman *483
hyperpigmentation; Ravitch 580
Mongolian spots in Europeans, contribution to knowledge of pigment; Bahrawy 553
unusual pigmentation of face; Wile 871
Pinard: Vincent's angina and penile ulceration 86
Pinta disease, note on etiology of "cute;" Castellani and Tejera 860
Pityriasis rosea; Odland, 443; Scheer, 568; Ormsby and Mitchell 578
rosea, or tinea capitis? Wise 437
rosea, second attack 28 months after first attack; Weiss 245
rosea with lesions on face resembling seborrheic dermatitis; Bechet 585
rubra pilaris; Abramowitz, 101; Schwartz and Busman, 119; Wise, 142; Wertheimer 577
Poikiloderma atrophicans vasculare; Whitehouse, 134; Wile 864
atrophicans vasculare, conclusion of previously reported case; J. E. Lane. *373
Pokorny, A.: Lichen planus pemphigoides 723
Polyneuritis following treatment with neo-arsphenamin; Milian and LeLong 85
with an erythematosquamous dermatitis after series of neo-arsphenamin injections; Ballet 237
Pomaret: Hexamethylenamin in chicken spirillosis 544
Mercury and bismuth 546
Pompholyx, desquamation of hands (dyshidrosis sicca lamellosa), considered contagious; Porosz 89
Pontoizeau, E.: Icterus due to neo-arsphenamin 87
Syphilitic origin of psoriasis 544
Popowa, A. N.: Arsalyt in syphilis 728
Porias: Dermatitis herpetiformis of Duhring 315
Erythema multiforme 315
Porokeratosis; Louste, Thibaut and Barbier, 716; Wile 869
Porosz, M.: Desquamation of hands (dyshidrosis sicca lamellosa) 89
Powders, irritating properties of; Engelhardt 725
Prater, F.: Overdosing with bismogenol 721
Pregnancy, course of syphilitic infection in pregnant women; Moore 234
in syphilitic patient; subcutaneous arsenical treatment; child stillborn and macerated; Halbron and Barthelemy 427
influence of treatment of syphilitic pregnant women upon incidence of congenital syphilis; Williams 233
results of arsphenamin treatment of syphilis during pregnancy; Bodin 429
Prescription writing, dermatologic; E. W. Ruggles *844
Pringault, E.: Subcutaneous gumma of leishmaniasis 237
Protein sensitivity in children with negative cutaneous reactions; O'Keefe 423
Prurigo, eczematoid, vaccinia generalized by multiple inoculations in a patient with; Lortat-Jacob, Legrain and Solente 428
nodularis; Williams, 147; E. W. Netherton *193
Pruritus, importance of blood chemistry in dermatology; E. Pulay *175
study of blood uric acid in diseases of skin, with particular reference to eczema and pruritus; J. F. Schamberg and H. Brown *801
Pseudoxanthoma: See Xanthoma
Psoriasis and scabies; Laurent 88
arthropatique; Fuhs 588
blood studies in; A. Strickler and E. Asnis *523
exfoliating erythroderma following; 2 cases; Roederer 718
generalized postpsoriatic exfoliating erythroderma; 2 cases; Roederer 547
heliotherapy in; H. E. Alderson *79
in which a psoriasiform eruption appeared in spots painted with tincture of iodin; 2 cases; Halbron, Barthélemy and Brizard 716
lichen planus with lesions on elbows resembling psoriasis; Fox 435
mycosis fungoides following; Wise 149

PAGE

Psoriasis—Continued
of nails; Siemens 315
pathogenesis of; Verrotti 720
psoriasiform syphilis; Sweitzer 263
roentgen and radium therapy of; Guarini 88
search for syphilis, acquired or congenital, in series of 28 psoriatic patients; Leredde 427
seborrheic type of; Michelson 442
syphilitic (acquired or congenital) origin of psoriasis; Gastou and Pontoizeau 544
therapy of; Huebner 317
treated with intramuscular injections of thymus; Greenbaum 301
treated with ultraviolet light; Swartz 559
with unusual keratosis of palms; Williams 565
Pucholt, M.: Symptomatic purpura 89
Pulay, E.: Blood chemistry in dermatology *175, 317
Intermediary metabolism and skin diseases; uric acid 726
Water content of erythrocytes and cholesterin 722
Purpura annularis telangiectodes; Majocchi 548
bullous, with ecthymatoid ulcerations occurring in patient with tuberculous adenopathy; Milian and Rivalier 85
chronic purpuric eruption without demonstrable blood changes; Arnett and Weidman 424
from arsphenamin, with fatal oral hemorrhage; Chatellier 87
fulminans in child of 19 months; Koenig 90
researches on thrombopenia of; Bagnoli 550
symptomatic; Pucholt 89

Rabut: Lividity of extremities 714
Rabut, H.: Vegetating and verrucous sporotrichosis of nose 713
Rabut, R.: Alopecia areata, leukoderma and nevi 86
Vincent's angina and penile ulceration 86
Radiation, dermatoscopy of normal skin, efflorescences of some skin diseases and changes following ultra and roentgen rays; Novak 730
studies on influence of roentgen and radium rays on phagocytosis; Westman 235
Radium, histological changes in lymphatic glands following exposures to radium; Mottram 421
method of applying, within the mouth; Ruggles 540
report of 146 cases of skin affections treated with; Bryant 538
Rajka, E.: Scarlatiniform trichophytid with dyshidrosiform trychophyton infection 726
Ramazzotti, V.: Scleroderma 88
Randak: Argyria 315
Ravitch: Hyperpigmentation 580
Raynaud's disease: See Gangrene, symmetric
Recklinghausen's disease; Levin, 114; McCafferty 570
lipomas? neurofibromas? Parounagian 566
Red light treatment; H. E. Ahlswede *527
Regan, C.: Intra-uterine transmission of anthrax 541
Regan, J. C.: Intra-uterine transmission of anthrax 541
Reichert: Conservation of blood specimens for the Wassermann 555
Reinhard-Eichelbaum, H.: Disturbances caused by neo-arsphenamin 432
Reinsberg, V.: Lymphogranulomatosis cutis et conjunctivae bulbi 728
Reiss, F.: Peculiar nail mycosis in China 728
Rejsek: Darier's disease 237
Lichen obtusus corneus 546
Multiple tumors of scalp 237
Scleroderma in plaques 237
Renc: New modification of spirochete-staining method 91
Resin dermatitis; report of case; Beinhauer 542

PAGE

Retterer, E.: Development of hair 546
Epithelial origin of cutaneous papillae 716
Rhinoscleroma; Hadida 238
bacteriologic diagnosis of; Kabelik 729
Rhus toxin in treatment and desensitization of patients with dermatitis venenata; Strickler 541
Richon: Bismuth stomatitis with erythroderma 236
Lividity of extremities 714
Lymphoderma with angioplastic formations 86
Multiple tuberculous lesions 716
Ridley, H. N.: Plant dermatitis 425
Rimet: Lesion of brachial plexus 426
Ringworm fungi, etiologic fungi of tinea versicolor and tinea flava; Schmitter 860
fungi, fermentation reactions of; characteristics of 3 divisions of trichophyton group; J. G. Hopkins and K. Iwamoto *838
fungi, fermentation reactions of; differentiation of trichophyta and allied genera from other fungi; J. G. Hopkins and K. Iwamoto *619
generalized, or mycosis fungoides, premycotic stage; Chargin 295
immunization of skin in patients with; Martinotti 549
of the scalp; Boardman 560
of the scalp, or pityriasis rosea; Wise 437
of the scalp, scalp marker for roentgen-ray treatment of; Wise 143
sycosis parasitaria; Klein 259
Riser: Wassermann and colloidal benzoin reactions provoked in spinal fluid 543
Rivalier: Bullous purpura with ecthymatoid ulcerations occurring in tuberculous adenopathy 85
Robertson, W. E., and Klauder, J. V.: Lupus erythematosus acutus disseminatus; fatal case associated with disseminated telangiectasis *487
Roederer, J.: Bilateral hydrarthrosis of knees 429
Disseminated miliary lupoid of face 547, 717
Exfoliating erythroderma after psoriasis 718
Generalized postpsoriatic exfoliating erythroderma 547
Giant lichenification of genital folds 429
Oriental boil of nose 719
Ozena of nasal foci probably due to syphilis 719
Roentgen ray, and sterility; Belot 720
changes produced by, in inflamed connective tissue; Maximow 424
effect, and tissue breathing; Gans 317
increase of function of thymus by; and its influence on skin; Gawalowski. 91
increased absorption of, by vitally stained white rats; Baldwin 424
influence of, on skin capillaries; Gawalowski 730
irradiation technic in region of male pelvis; Lenk 432
nausea from; Simons 432
ulceration, two cases; Kumer 588
Rondoni: Polarimetric examination of serums and their relation to Wassermann 90
Rosen: Large nodular syphiloderm in scar of previous syphilitic ulceration 112
Lupus vulgaris 115
Rosenmann: Pharmacologic effect of neo-arsphenamin 552
Rosenthal: Erythema exsudativum multiforme after fish meal 739
Urticaria pigmentosa in twins 739
Rostenberg: Erythema nodosum or induratum 288
Lupus erythematosus 114
Rothwell: Lupus pernio 105
Lupus vulgaris 96
Lymphosarcoma 107
Tertiary nodular syphilis 93
Roudinesco: Progressive mutilating scleroderma 428
Rowell, H. G.: Rare case of recurrent herpes *48
School physician as a dermatologist *520
Roxburgh, A. C.: Herpes zoster and varicella 539

PAGE
Rubinstein, M.: Serologic diagnosis of syphilis..... 716
Ruggles, E. W.: Dermatologic prescription writing.....*844
Method of applying radium within mouth..... 540

Sabouraud, R.: Intertrigo mycoses..... 713
Sachs, O.: Occupational dermatoses..... 726
Sachs-Georgi reaction, Wassermann reaction, Kaup's modification and Hecht's active method; Schmelowsky..... 555
Sainz de Aja, E. A., and Bravo, J.: Unna-Jadassohn's cutis verticis gyrata compared with Alibert's dermatolysis.....*797
Salmon: Ulcerating tuberculous lesions of face and upper air passages.... 719
Salt solution, normal, superiority of, over physiologic sodium chlorid solution shown by biologic research; Lauerbach..... 725
Samberger: New clinical reaction of syphilitic macules..... 91
Samson: Morphology and biologic relations of yeast causing erosio interdigitalis blastomycetica 724
Sanford, A. H.: Actinomycosis in United States..... 712
Sarcoid; Bechet, 106; Schwartz, 146; Wertheimer, 309; Fox..... 434
disseminated miliary lupoid of face; Pautrier and Roederer..... 717
of lower extremities in sclerodermiform plaques; Gougerot and Fernet.. 715
or lupus erythematosus; Michelson..... 260
or lymphosarcoma? Trimble..... 136
subcutaneous; Crawford 116
treated by endothermy; Levin..... 293
Sarcoma; Trimble 143
angioplastic, lymphoderma with angioplastic formations; Hudelo, Richon and Cailliau 86
melanoma: See Melanoma
multiple pigmented (hemorrhagic); Chargin, 97; Wise, 143; Seuffer.... 552
multiple pigmented (hemorrhagic), bullous lesions in, and lichen planus; Wise and Eller 420
multiple pigmented (hemorrhagic); gross specimens and microscopic sections from case of; Weidman..... 304
multiple pigmented (hemorrhagic); treatment by solid carbon dioxid; Milian and Perin..... 546
Sayer: Penile lesion: case for diagnosis..... 99
Scabies and psoriasis; Laurent..... 88
Scalp marker for roentgen-ray treatment of tinea capitis; Wise..... 143
tumors, multiple; Burnier and Rejsek..... 237
unusual suppurating and cicatrizing inflammation of; Fox..... 277
Scarlet fever, discovery of a new type of germ isolated from cases of measles and scarlet fever (minute gram-negative anaerobic diplococcus); Thomson 861
Scars: See Cicatrices
Schamberg, J. F.: Pellagra..... 445
—and Brown, H.: Study of blood uric acid in diseases of skin, with particular reference to eczema and pruritus.....*801
Schamberg's disease: See Dermatoses, progressive pigmentary
Scheer: Case for diagnosis..... 108
Dermatitis exfoliativa following arsphenamin..... 113
Early lupus erythematosus discoides..... 95
Lupus erythematosus of cicatrizing superficial epithelioma..... 107
Lupus erythematosus of scalp..... 572
Lupus vulgaris (for diagnosis)..... 106
Lupus vulgaris resembling lupus erythematosus..... 570
Pityriasis rosea 568
Schmelowsky: Wassermann reaction; modifications; Sachs-Georgi reaction 555
Schmidt: Multiple juvenile xanthomas..... 313
Xanthoma 239
Schmitter, F.: Etiologic fungi of tinea versicolor and tinea flava..... 860

PAGE

Schneemann: Arsphenamin eruption localized on site of previous erythema solare 740
Schoenfeld: Prophylactic arsphenamin treatment 242
Schoenhof: Development of carcinoma in dermoid of skin 239
Nevus angiectosus et anemicus systematicus bilateralis 316
School physician as a dermatologist; H. G. Rowell *520
Schubert, J.: Syphilis and bismuth 725
Schultze: Leukemia cutis 314
Schumacher, J., and Ahlswede, E.: Specific spirillicide effect of arsphenamin *854
Schwank: Pluriglandular syndrome with cutis verticis gyrata 729
Schwartz: Epidermolysis bullosa hereditaria 152
Erythema multiforme 119
Lupus erythematosus 115, 576
Nodular tuberculosis of hypoderm 304
Pityriasis rubra pilaris 119
Sarcoid of Darier-Roussy 146
Scleroderma; Hollander, 120; Wise, 155; Irvine and Turnacliff, 263; Clark, 286; Hugel, 547; Jamieson 868
atypical; hyperthyroidism; Etienne 430
circumscribed; Stevens, 134; Oliver, 273; Greenwood, 557; Wile 868
circumscribed, morphoea guttata; Boardman 560
circumscribed, treated and cured by ionization with potassium iodid; Watrin 430
circumscribed, two cases of, depigmented and atrophic from start; Jeanselme, Burnier and Rejsek 237
extensive scleroderma on arm and trunk; Hugel 717
pathogenesis and therapy of scleroderma; Ramazzotti 88
presenting some signs of acrodermatitis chronica atrophicans; Williams 583
progressive mutilating scleroderma; Roudinesco and Vallery-Radot 428
progressive, with sclerodactyly and generalized melanoderma; Spillmann and Drouet 430
treated by polyglandular endocrin therapy; Hugel 429
with ulceration; Hollander 306
Scrofuloderma; Hollander, 120; Michelson 262
generalized; Oliver 271
Seligmann: Antigen properties of tuberculin 90
Semon, H. C.: Epidemic alopecia in small areas *785
Senear: Ichthyosis 272
Sequeira, J. H.: Carbon-arc light baths in lupus vulgaris 538
Serum reaction, intracutaneous horse serum reaction in skin tuberculosis; Löblich 722
Seuffer: Sarcoma idiopathicum multiplex hemorrhagicum (Kaposi) 552
Sharlit, H., and Highman, W. J.: Chromogenic indicators in dermatology. *515
Shattuck, G. C.: Factors influencing pellagra in Massachusetts 537
Pellagra in Massachusetts 537
Sidlick: Syphilitic macular atrophy 448
Siemens: Median depapillating glossitis 315
Psoriasis of nails 315
Silver arsphenamin dermatitis; Parounagian 100
Simon, C.: Arsenical stomatitis 87
Bismuth stomatitis with erythroderma 236
Urticaria pigmentosa 236
Simons: Roentgen ray nausea 432
Sklarz, E.: Arsphenamin eruptions resembling lichen planus 725
Sluder, G.: Glossodynia with lingual tonsillitis as its etiology 542
Smallpox, blood studies in; with special reference to alastrim; Hoffman 861
Smith, C. M.: Rectal syphilis 558
Significant dental defects in congenital syphilis *791
Smith, H. J.: Case for diagnosis 300
Lichen planus hypertrophicus 448

SOCIETY TRANSACTIONS: PAGE
American Dermatological Association 863
Berlin Dermatological Society 739
Centenary of German Scientists and Physicians at Leipzig, Department of Dermatology and Syphilology 317
Chicago Dermatological Society 263, 578
Cologne Dermatological Society 314
Detroit Dermatological Society 122
German Dermatological Society in the Czecho-Slovak Republic, German Dermatological Clinic 316
Minnesota Dermatological Society 257, 441
Munich Dermatological Society 315
New England Dermatological Society 556
New York Academy of Medicine, Section on Dermatology and Syphilis 93, 288, 561
New York Dermatological Society 275, 433, 583
New York Dermatological Society in conjunction with the New England and Philadelphia Dermatological Societies 134
Philadelphia Dermatological Society 300, 444
Pittsburgh Dermatological Society 115, 304, 573
St. Louis Dermatological Society 243, 732
Silesian Dermatological Society 740
The Southwest German Dermatologists 313
Vienna Dermatological Society 587
Solente: Hemorrhagic papular eruption with gonorrhea 715
Vaccinia generalized by multiple inoculations in eczematoid prurigo 428
Sore, initial, presence and importance of grill-fibrils (Gitterfasern) in syphilitic and other skin diseases; hardness of initial sore; Zurhelle 241
Specialist, education of specialist; H. Morrow *597
Spillmann: Epitheliomatosis en nappe of thorax after ablation of breast cancer 431
Lymphangiectases arising on surgical cicatrix 431
Progressive scleroderma with sclerodactyly and generalized melanoderma. 430
Solid carbon dioxid in large keloids 431
Syphilis and tattooing 431
Vermiculate atrophoderma of chin 431
Spinal fluid: See Cerebrospinal fluid
Spirillosis, chicken: See under Spirochaeta gallinarum
Spirochaeta gallinarum, mercury and bismuth; experimental study of their spirillicidal activity and comparative toxicity; Pomaret and Didry ... 546
gallinarum, negative attempt to treat chicken spirillosis with hexamethylenamin; Pomaret 544
pallida, application of Warthin-Starry silver-agar method to demonstration of spirochaeta pallida in spinal fluid by means of coagula obtained by Alzheimer method; A. S. Warthin, R. C. Wanstrom and E. Buffington. *461
pallida, cultures of, on liquid and solid soils; vaccination of animals with these cultures; Wassermann and Ficker 242
pallida, experiments with culture method for studying effect of neo-arsphenamin on spirochetes of syphilis; Krantz 315
pallida, neo-arsphenamin as stain for spirochaeta pallida; Fontana 550
pallida, new method for demonstration of, in spinal fluid; U. J. Wile and A. Kirchner *831
Spirochetes in condyloma acuminatum; Lombardo 720
staining: See Stains
Spitzer: Experiments on thallium alopecia 239
Sporotrichosis; Guy and Jacob 310
vegetating and verrucous, of nose simulating tuberculosis verrucosa cutis; Ferrand and Rabut 713
Stains, neo-arsphenamin as stain for spirochaeta pallida; Fontana 550
new modification of spirochete-staining method; Renc 91
substitute for lugol solution in Gram method of staining; Vierling 90
Stancanelli, P.: Triple oriental sore of face 88
Sterility and roentgen rays; Belot 720

PAGE

Stern, D., and Irvine, H. G.: Wassermann test *818
Stevens, R. H.: Acanthosis nigricans 864
Acanthosis nigricans; psoas abscess 132
Case for diagnosis 133
Case for diagnosis: dermatophytosis? 133
Morphea 134
Schamberg's progressive pigmentary dermatosis 873
Stillians, A. W.: Case for diagnosis 265, 272, 582
Epithelioma resembling blastomycosis 264
Extragenital chancre 274
Leprosy 275
Melanoma of foot 267
—and Zeisler, E. P.: Gonorrheal keratoderma *393
Stokes, J. H.: Acquired lymphangioma of vulva secondary to tuberculous obliteration of inguinal glands *498
Lymphangiomatous and hemangiomatous nevus associated with enormous hypertrophy of sweat glands and localized hyperhidrosis on excitement. *186
Tuberculous paronychia *44
Stomatitis, arsenical; Clement-Simon 87
bismuth, with erythroderma; Hudelo, Simon and Richon 236
Strassberg: Bromoderma tuberosum 588
Carcinoma on lupus erythematosus 588
Strassen: Acriflavin intravenously in urticaria 242
Strauss, A.: Dermatitis medicamentosa with molluscum contagiosum 444
Lupus vulgaris 303
Syphilitic macular atrophy 448
Strauss, H.: Elimination of bismuth 723
Strickler, A.: Dermatitis venenata 541
—and Asnis, E.: Blood studies in psoriasis *523
Strumia, M. M.: A study of serum flocculation reactions in syphilis with special reference to Meinicke, Sachs-Georgi, Kahn and Vernes reactions *50
Sudamen, concerning pathogenesis of miliaria crystallina; Kreibich 724
Sureya: Pruritic erythematovesicular eruption from barley pollen 90
Sutton, L. A., and Mallia, W. M.: Malignant melanoma in negro *325
Swartz: Primary favus of nails 559
Psoriasis treated with ultraviolet light 559
Sweat glands, lymphangiomatous and hemangiomatous nevus associated with enormous hypertrophy of sweat glands and localized hyperhidrosis on excitement; J. H. Stokes *186
roentgen-ray treatment of furunculosis and hidradenitis axillaris; Fuhs .. 723
Sweitzer, S. E.: Alopecia areata 259
Case for diagnosis 442
Dermatitis medicamentosa 260
Keratoderma punctatum *687
Psoriasiform syphilis 263
Tuberculosis verrucosus cutis 261
Sycosis: See also Ringworm
barbae; Weidman 446
unsuccessfully treated by roentgen ray and turpentine injections; Fox ... 284
Syphilid, acne rosacea syphilitica; Janovsky 728
and tattooing; Spillmann, Drouet and Diot 431
annular, of face in white man, preceding a generalized macular rash; McIntosh 248
contagious lesions recurring after Wassermann reaction had been negative for more than a year; Laurent 238
extensive mutilating, involving bones of hands and feet; Wile 879
large nodular, developing in scar of previous syphilitic ulceration, with gummatous infiltration over sternomastoid region, and gumma of testicle; Rosen 112
new clinical reaction of syphilitic macules; Samberger 91

Syphilid—Continued PAGE
nodular crustaceous; Abramowitz 564
nodular, or lupus erythematosus and epithelioma of face; Abramowitz ... 571
nodular, or lupus vulgaris; Abramowitz 565
of nose and perinasal region; Fuhs 239
pigmentary secondary syphilis; Parounagian 96
psoriasiform syphilis; Sweitzer 263
recurrence of contagious lesions after the Wassermann reaction had been negative for over a year; Gougerot 545
resembling dermatitis herpetiformis; Armstrong 442
secondary syphilis; Gager 444
serpiginous nodular; Thornley 297
soluble salt of bismuth in cutaneous secondary and tertiary syphilis; Gouin and Jegat 430
syphilitic macular atrophy; Sidlick and Strauss 448
tertiary; Gager 442
tertiary nodular; Rothwell 93
tertiary syphilitic ulceration of left forearm; Parounagian 571
ulceration of chin resembling epithelioma or syphilis; Bechet 586
varioliform and lichenoid; Wise 569
with telangiectasis; Chargin 94
Syphilis: See also Gumma; Neurosyphilis; Spirochaeta pallida; Syphilid; Wassermann test
acquired, in an infant; case of contamination during birth; Dumet 426
and leprosy; Wise 138
autoserum treatment of pneumococcus meningitis complicated by syphilis; Horn 423
central vascular, symptoms and treatment of; Anderton 537
concerning syphilitic (acquired or congenital) origin of psoriasis; Gastou and Pontoizeau 544
congenital, bilateral hydrarthrosis of knees as a sign of; Roederer and Lix 429
congenital, bismuth therapy in; Cajal 719
congenital, influence of treatment of syphilitic pregnant women upon incidence of; Williams 233
congenital, late; Parounagian 103
congenital, late, certain factors in development of neurosyphilitic lesions in; Zabriskie 711
congenital; necrosis of nasal bone; Boardman 559
congenital, ozena of nasal foci probably due to; hereditary syphilis, ameliorated by bismuth; Walter and Roederer 719
congenital: prepatellar gumma; Karcher 557
congenital, significant dental defects in; C. M. Smith *791
congenital, undiagnosed, case of epilepsy due to; definite results after treatment with neo-arsphenamin; Leredde 545
course of syphilitic infection in pregnant women; Moore 234
diagnosis: See also Kahn test; Sachs-Georgi reaction; Wassermann test
diagnosis, nature of complement fixation reaction in; relation to standardization of technic; Kolmer 421
diagnosis, new technic for flocculation test; Casilli 423
diagnosis, precipitation test of concentrated arachnoid fluid and serum; Herrold 542
diagnosis, precipitin test; Moon 541
diagnosis, serologic; Ballet and Rubinstein 716
diagnosis, study of serum flocculation reactions in syphilis with special reference to Meinicke, Sachs-Georgi, Kahn and Vernes reactions; M. M. Strumia *50
diffusion of uranin into cerebrospinal fluid of syphilitic patients; Jersild. 712
experimental, mercurials in; their clinical application; flumerin; Hill and Young 540
experimental observations on prophylaxis and treatment of syphilis; Nichols and Walker 425
gastric; Leone 551

Syphilis—Continued PAGE
hereditary: See Syphilis, congenital
infraclavicular glands in syphilitic persons; Oelze 239
jaundice in; Palvarini 550
lupus erythematosus in a syphilitic person; Parounagian 300
of lymphatic glands; Bejarano 89
opportunity to enlighten hospital trustees; Frothingham 537
pregnancy in syphilitic patient; subcutaneous arsenical treatment; child stillborn and macerated; Halbron and Barthelemy 427
progress in syphilis, 1922; Cheever 538
prophylactic arsphenamin treatment; Schoenfeld 242
Raynaud's disease, syphilitic, affecting the nose and ears and rapidly cured by neo-arsphenamin; Milian and Perin 545
rectal; Smith 558
reinfection; Parounagian 98
reinfection after treatment with bismuth; Gougerot and Fernet 715
search for syphilis, acquired or congenital, in series of 28 psoriatic patients; Leredde 427
secondary, with unusual lesions and history; Parounagian 571
treatment, abortive; Tataru 544
treatment, arsalyt in syphilis; Popowa 728
treatment, arseno-benzol in treatment of syphilis; Mills 539
treatment, case of tertiary syphilis treated with a bismuth preparation; Mueller 314
treatment, conclusions after first decade of combined treatment; Jordan .. 724
treatment, experiences with a bismuth preparation, in combination with neo-arsphenamin; Gutmann 728
treatment, late results; Hazen 542
treatment, mixed injections of colloidal mercury; Kollmann 317
treatment, nonspecific therapy; E. Ahlswede *856
treatment, reflections against use of arsphenamin mixed injections; Memmesheimer 724
treatment, results of arsphenamin treatment of syphilis during pregnancy; Bodin 429
treatment, under-dosing with arsphenamin; Muhlpfordt 727
treatment with bismuth; Mayr, 316; L. K. McCafferty, *469; Neuendorff, 721; Giemsa, 725; Schubert 725
Syphilology, index to current literature 160, 322, 455, 594, 743, 885
Syphiloma, chronic fibroid subcutaneous; Parounagian 300
cytologic study of; Laurentier 714
Syringadenoma; Crawford 115
Syringocystoma; Fox 136
Syringoma: See Epithelioma, multiple benign cystic

Tabes dorsalis, Sicard's method in treatment of tabes; Arasa 89
tabetic osteo-arthropathies of both hips; Barthelemy 427
third-degree burn in patient with early tabes ("preataxic"); Wollenberg .. 131
Tachau, P.: Arsphenamin eruptions resembling lichen planus 241
Lichen ruber-like arsphenamin eruptions 553
Tanimura: A species of septicotoxicoderma 551
Tataru: Abortive treatment of syphilis 544
Tattooing and syphilis; Spillmann, Drouet and Diot 431
Teague, O.: Experimental herpes zoster 711
Teeth, Hutchinson's, unilateral; Lyon 714
significant dental defects in congenital syphilis; C. M. Smith *791
Tejera, H.: Etiology of "cute" 860
Telangiectasis: See under Angioma
Thallium alopecia, experiments on; Spitzer 239
effect of; Buschke and Jacobsohn 241
Thibaut: Papulonecrotic and nodular tuberculids of face 426
Porokeratosis of Mibelli 716
Thim, J. R.: New apparatus for intravenous injections 727

PAGE

Thom, P. B.: Acute anaphylactic reaction after arsphenamin..... 425
Thomson, D.: New type of germ isolated from measles and scarlet fever. 861
Thornley: Case for diagnosis..... 104
Serpiginous nodular syphilid..... 297
Thromboangiitis obliterans; Bean..... 538
Throne, B.: Pseudoxanthoma elasticum..... 536
Thrush, clinical aspects of thrush of skin; Lang..... 723
Thymus, increase of function of thymus by roentgen rays and its influence on skin; Gawalowski..... 91
Tinea: See Ringworm
Tissott: Leishmaniasis of face..... 86
Tissue fibrils, presence and importance of grill-fibrils (Gitterfasern) in syphilitic and other skin diseases; hardness of initial sore; Zurhelle. 241
Tobias, N.: Bromoderma..... 253
Case for diagnosis..... 247, 248
Erythema ab igne..... 251
Granuloma pyogenicum 732
Hemangioma of tongue..... 245
Infectious eczematoid dermatitis..... 246
Lymphangiectatic hypertrophy of vulva occurring in a nevus unius lateris. *647
Monilethrix 252
Monilethrix of familial and hereditary type..... *655
Tongue, black, case of; Fox..... 287
epithelioma of; Parounagian..... 571
erythema multiforme with eruptions on tongue; Porias..... 315
exfoliatio areata linguae et mucosae oris; Arndt..... 739
glossodynia with lingual tonsillitis as its etiology; control through nasal ganglion; Sluder 542
hemangioma of; Tobias..... 245
hitherto undescribed condition of; clinical and histologic report of 2 cases; J. A. Fordyce and A. B. Cannon..... *749
lingua geographica; Bechet..... 570
median depapillating glossitis; 2 cases; Siemens..... 315
tuberculosis of; Wise..... 280
Tonsil, epithelioma of; Parounagian..... 96
Tonsillitis, lingual, causing glossodynia; control through nasal ganglion; Sluder 542
Török, L.: Inflammation..... *505
Relationship of eczemas to artificial dermatitides and impetigo..... 721
Traub: Macular atrophy (tentative diagnosis)..... 104
Treponema pallidum: See Spirochaeta pallida
Trichomycosis axillaris flava, rubra and nigra; Castellani and Wilkinson.. 860
Trichophyton, fermentation reactions of ringworm fungi, characteristics of 3 divisions of trichophyton group; J. G. Hopkins and K. Iwamoto. *838
violaceum, fungus affections due to, (relative to fungus flora in Vienna); Arzt and Fuhs..... 723
Trichophytosis, disseminated dermatophytosis (probably trichophyton) of animal origin; Jeanselme, Bloch and Hutinel..... 236
superficial; Harry 725
scarlatiniform trichophytid with dyshidrosiform trichophyton infection; Rajka 726
trichophytic keratoconjunctivitis; Milian and LeLong..... 86
Trichorrhexis nodosa, idiopathic trichoclasia; Jeanselme and Bloch..... 236
Trimble: Dermatitis exfoliativa..... 278
Epithelioma 152
Lupus pernio 152
Lupus vulgaris of scalp..... 278
Lymphosarcoma? Spiegler-Fendt sarcoid?..... 136
Nevus 277
Sarcoma 143
Trophic ulcer following nerve injury; Fox..... 284

PAGE

Troxell: Prickle cell epithelioma of penis 127
Tryparsamid in neurosyphilis; Loevenhart, Bleckwenn and Hodges 540
Turnacliff: Case for diagnosis 261, 262
Dermatitis herpetiformis 258
Lichen planus of palms (recurrent) 260
Scleroderma 263
Tuberculids, case of papulonecrotic and nodular tuberculids of face; Louste, Thibaut and Barbier 426
papulonecrotic; Michelson 262
papulonecrotic, etiology of; W. H. Guy *754
should be called "tuberculoids;" Darier 426
subcutaneous; Guttmann 314
Tuberculin, antigen properties of; Seligmann and Klopstock 90
reaction, concerning anatomic effect of inoculation test of Ponndorf; Koopmann 726
Tuberculosis, antibodies in tuberculosis; complement binding reaction in tuberculosis and its relation to malaria; Heinemann 432
cutis: See also Scrofuloderma; Tuberculids
cutis; Wise, 298; Wile 867
erythema induratum with concomitant tuberculids on mucosa; Arndt 739
multiple tuberculous lesions, cutaneous and visceral; Hudelo, Richon and Cailliau 716
nodular, of hypoderm; Schwartz and Busman 304
tuberculous adenitis resembling malignant tumor; Guy and Jacob 306
tuberculous paronychia, report of case with unusual features; J. H. Stokes *44
ulcerosa, of face and upper air passages; Canuyt and Salmon 719
ulcerosa, of tongue; Wise 280
ulcerosa, of tongue and cheek; Clark 573
ulcerosa, treated by means of benzyl cinnamic ether intramuscularly; Jacobson 88
verrucosa cutis; Valade, 128; Sweitzer, 261; Garfield 556
verrucosa cutis cured by endothermy; Levin 294
verrucosa cutis resembling blastomycosis; VanRhee 872
Tumor: See also under Cancer and names of various tumors
actinomycosis or malignancy (?); Oliver 556
multiple benign tumor-like growths of Schweninger and Buzzi; Drant 303
paraffin: See Paraffinoma
Tzanck, A.: Sign of temporary serologic positivity in primary syphilis 714
Verrucous nevi and multiple nerve lesions; incomplete von Recklinghausen's disease; hemiatrophy; hemihypotonia; hemisudation; unilateral oculo-sympathetic syndrome 547

Ulcer on back of foot due to a diplostreptococcus; Oppenheim 588
penile, and Vincent's angina; Pinard, Rabut and Giraud 86
perforating, bilateral mal perforans cured by arsphenamin; Bruhns 739
perforating, mal perforant which developed under treatment for syphilis; Zinnser 314
perforating, malum perforans pedis; Levin 298
trophic, following nerve injury; Fox 284
ulcus molle serpiginosa; remarkable therapeutic results with streptobacillus vaccine; Frei 740
ulcus vulvae acutum and local bacilli; Oelze-Rheinboldt 724
Ultra-violet light, bactericidal action of ultra-violet light; Bayne-Jones and Linden 234
Urbach: Roentgenologic findings in gastro-intestinal tract in eczemas 554
Uric acid; intermediary metabolism and skin diseases; Pulay 726
Urticaria caused by light; preliminary report; Duke 542
chronic, intravenous injections of acriflavin in; Strassen 242
due to bismuth injections; Lepinay 428
importance of blood chemistry in dermatology; E. Pulay *175
perstans verrucosa; Wagner 316

Urticaria—Continued PAGE
pigmentosa; Wise, 156; Butler and Odland, 260; Odland, 443; Lortat-Jacob and Legrain, 545; Wile 866
pigmentosa appearing in a man aged 52 years; Simon and Bralez 236
pigmentosa in twins; Rosenthal 739
pigmentosa (nodular type); Finnerud 266
pigmentosa (nodular type) with summary of literature; C. W. Finnerud .*344
pigmentosa showing result of roentgen-ray treatment; Fox 141

Vaccinia, postvaccinal pemphigus; Davis 246, 255
generalized by multiple inoculations in a patient with eczematoid prurigo; Lortat-Jacob, Legrain and Solente 428
Vagosympathicotonia, note on variations of, in course of some erythemas; Laurent 427
Valade: Tuberculosis verrucosa cutis 128
Vallery-Radot, P.: Progressive mutilating scleroderma 428
Van Rhee: Adenoma sebaceum 124, 878
Case for diagnosis 124
Pemphigus vulgaris 130
Tuberculosis verrucosa cutis resembling blastomycosis 872
Van Sant, M.: Leishmania donovani in peripheral blood 862
Varicella, herpes zoster and varicella, clinical notes; Roxburgh 539
Varices, curative fibrosis of varicose veins by injection of mercury biniodid; Montpellier, Lacroix and Boutin 87
Variola: See Smallpox
Vasomotor mechanisms, microcapillary observations on effect of some vessel agents; Moog and Ambrosius 242
Venereal diseases and alcohol; von Notthafft 727
international organization against; Jeanselme 235
Verrotti, G.: Pathogenesis of psoriasis 720
Veyrieres: Use of pastes in dermatology 544
Vierling: Substitute for lugol solution in Gram staining 90
Vigne, P.: Subcutaneous gumma of leishmaniasis 237
Vincent's angina and penile ulceration; Pinard, Rabut and Giraud 86
Virulence, "activation" of body cells; studies on immunity and virulence; Weichardt 432
Vitiligo; Doty, 123; Lindberg 717
alopecia areata and nevi; Rabut 86
and alopecia areata associated with severe hyperthyroidism; S. Ayres, Jr. .*502
and ovarian extract; Artom 720
syphilitic, reappearing symetrically and irregularly following nerve distribution; hidden vertebral lesion at corresponding level; Leri 427
with guttate parapsoriasis; Lortat-Jacob and Fernet 85
zoniform, of right flank; band of scleroderma with atrophy en masse of left lower extremity; vertebral anomalies: sacralization, spina bifida occulta; Leri and Lamy 427
Volk: Lupus angiomatosus 588

Wagner: Urticaria perstans verrucosa 316
Walker, J. E.: Prophylaxis and treatment of syphilis 425
Wallhauser, H. J. F.: Lichen pilaris seu spinulosus (Crocker) *776
Walter: Ozena of nasal foci probably due to hereditary syphilis 719
Wander: Case for diagnosis 127
Wanstrom, R. C., Buffington, E., and Warthin, A. S.: Application of Warthin-Starry silver-agar method to demonstration of spirochaeta pallida in spinal fluid by means of coagula obtained by Alzheimer method *461
Warthin, A. S., Wanstrom, R. C., and Buffington, E.: Application of Warthin-Starry silver-agar method to demonstration of spirochaeta pallida in spinal fluid by means of coagula obtained by Alzheimer method *461
Wassermann: Cultures of spirochaetae pallidae on liquid and solid soils .. 242

PAGE

Wassermann test; H. G. Irvine and D. Stern *818
and colloidal benzoin reactions provoked in cerebrospinal fluid; Cestan, Riser and Bonhoure 543
in Johns Hopkins Hospital; Keidel and Moore 234
in leprosy with special reference to new complement-fixation technic; J. A. Kolmer and O. E. Denney *63
in scarlet fever patients; Christensen 423
Kaup's modification, Hecht's active method and Sachs-Georgi reaction; Schmelowsky 555
micro-technique needing only occasional titration of complement; Donald. 422
polarimetric examination of serums and their relation to; Rondoni 90
positive, in a fatal case of estivo-autumnal malaria; McConnell 423
relationship between serum cholesterin and; R. S. Weiss and A. L. Essermann *639
sign of temporary serologic positivity in treatment of primary syphilis; Tzanck 714
Watrin, J.: Lymphangiectases arising on a surgical cicatrix 431
Nevocarcinoma of lower eyelid cured by 2 electrolytic treatments 431
Scleroderma in plaques 430
Wayson, J. T.: Lacquer dermatitis or dermatosis industrialis (papulovesicular lacquer) *77
Weber, F. P.: "Elephantiasis nostras" of vulva; diffuse connective-tissue hyperplasia at puberty 539
Weichardt: "Activation" of body cells; immunity and virulence 432
Weidmann, F. D.: Case for diagnosis 449
Danger of liquid petrolatum in parenteral injections 541
Eczema with keratosis pilaris 302
Gross specimens and microscopic sections from idiopathic pigmented sarcoma of Kaposi 304
Purpuric eruption without demonstrable blood changes 424
Sycosis barbae 446
Weinberg, M.: Granuloma inguinale 861
Weiss, R. S.: Pityriasis rosea 245
Case for diagnosis 243, 743
Folliculitis ulerythematosa reticularis in sisters 733
—and Engman, M. F.: Xanthoma diabeticorum treated with insulin *625
—and Essermann, A. L.: Relationship between serum cholesterin and Wassermann reaction *639
—and Mook, W. H.: Xanthoma and hypercholesterinemia, *19; correction. 535
Wertheim: Leukoderma and Alpine sun lamp 587
Wertheimer, H. G.: Angiokeratoma (Mibelli) 308
Angioma; lichen planus of mouth and penis 117
Angioma serpiginosum 311
Case for diagnosis 117
Dermatitis seborrhoica (psoriasiform type) 117
Endothelioma capitis 305
Granuloma fungoides 312
Pityriasis rubra pilaris 577
Sarcoid (Boeck) 309
Westman, A.: Influence of roentgen and radium rays on phagocytosis 235
Whitehouse: Lymphogranulomatosis cutis 140
Poikiloderma atrophicans vasculare (?) 134
Whitfield, A.: Pathogenesis of xanthomatosis 538
Wile, U. J.: Case for diagnosis 865, 875, 876, 878, 879
Case of melanocarcinoma 868
Dermatitis herpetiformis or pemphigus 866
Experimental aspects of iodid and bromid exanthems *407
Granuloma fungoides 871
Keratosis blenorrhagica 870
Leukemia cutis 876
Lichen ruber planus 863
Macular atrophy, postsyphilitic 873

Wile, U. J.—Continued PAGE
Maculo-anesthetic leprosy 872
Multiple lesions of morphea 868
Mutilating syphilid involving bones of hands and feet 879
Poikiloderma atrophicans vasculare 864
Porokeratosis 869
Tuberculosis cutis 867
Unusual form of lupus vulgaris 870
Unusual pigmentation of face 871
Urticaria pigmentosa 866
Xanthoma tuberosum multiplex 877
—and Kirchner, A.: New method for demonstration of spirochaeta pallida in spinal fluid *831
Wilkinson, A. G.: Trichomycosis axillaris flava, rubra and nigra 860
Williams: Case for diagnosis 289, 438, 569
Mycotic infection of hand 562
Paraffinoma and lupus erythematosus 299
Prurigo nodularis 147
Psoriasis 565
Scleroderma presenting signs of acrodermatitis chronica atrophicans 583
Williams, J. W.: Influence of treatment of the syphilitic pregnant upon congenital syphilis 233
Winternitz: Ichthyosis serpentina 316
Wirz, F.: Peculiarities of mycotic infections of nails 722
Wise, F.: Acrodermatitis chronica atrophicans 148
Alopecia cicatrisata 157
Angioma of tongue treated with radium 156
Bromoderma 299
Case for diagnosis; pityriasis rosea or tinea capitis? 437
Congenital alopecia 439
Dermatitis herpetiformis 156
Dermatitis lichenoides chronica atrophicans 436
Erythema induratum (Bazin) 155
Favus 155
Favus of scalp 115, 155
Folliculitis ulerythematosa reticulata 155
Granuloma annulare after radium 154
Hydrocystoma 148, 438
Kaposi's sarcoma 143
Lepra 151
Leprosy and syphilis 138
Lupus erythematosus discoides 155
Lupus erythematosus disseminatus chronicus 145
Lupus vulgaris 156
Lupus vulgaris resembling lupus erythematosus 435
Lymphosarcoma 149
Mycosis fungoides following typical psoriasis 149
Neurotic excoriations 157
Parapsoriasis 156
Parapsoriasis en plaque 440
Pemphigus vulgaris 150
Phenolphthalein eruption 135
Pityriasis rubra pilaris 142
Scalp marker for roentgen-ray treatment of tinea capitis 143
Scleroderma 155
Tuberculosis cutis 298
Tuberculosis of tongue 280
Urticaria pigmentosa 156
Varioliform and lichenoid syphilid 569
—and Eller, J. J.: Bullous lesions in sarcoma of Kaposi and lichen planus. 420
Wohl, M. G.: Fungous diseases of man in Nebraska 711
Wohlwill, F.: Herpes zoster 240

PAGE

Wolf: Case for diagnosis 94
Parapsoriasis lichenoides 570
Wollenberg: Synovial lesion of skin 131
Third-degree burn in patient with early tabes 131
Wosegien: Icterus after arsphenamin 552

Xanthoma; Schmidt 239
and hypercholesterinemia; W. H. Mook and R. S. Weiss, *19, correction .. 535
diabeticorum treated with insulin, report of case; M. F. Engman and R. S. Weiss *625
multiple juvenile; Schmidt 313
pathogenesis of xanthomatosis, with report of case; Harrison and Whitfield 538
pseudoxanthoma elasticum; B. Throne and H. Goodman 536
tropicum (juxta-articular nodules); Mendelson 860
tuberosum, contribution to study of, with report of case; B. B. Beeson and P. G. Albrecht *695
tuberosum multiplex; Jamieson, 125, 877; Wile 877
tuberosum multiplex cured; Ochs 93
Xeroderma pigmentosum, case of; Engman 254

Yagle, E. M., and Kolmer, J. A.: Kahn precipitation test in leprosy *183
Yamada, S. S., Kolos, F., and Oliver, J.: Biologic reactions of arsphenamin; reduction of its toxicity by combination with hydrophil colloids *1
Yeasts, morphology and biologic relations of yeast causing erosio interdigitalis blastomycetica; Samson 724
spore-forming ability of parasitic and pathogenic yeasts; Buschke and Harry 722
Young, C. W.: Leishmania donovani in peripheral blood 862
Young, H. H.: Mercurials in experimental syphilis; flumerin 540

Zabriskie, E. G.: Development of neurosyphilitic lesions in late congenital syphilis 711
Zeisler, E. P.: Case for diagnosis 274
—and Stillians, A. W.: Gonorrheal keratoderma *393
Zinnser: Mal perforant developing under syphilis treatment 314
Zurhelle: Grillfibrils (Gitterfasern) in syphilitic and other skin diseases; hardness of initial sore 241